

## Product datasheet for RC224782

### OR5L1 (NM\_001004738) Human Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** OR5L1 (NM\_001004738) Human Tagged ORF Clone  
**Tag:** Myc-DDK  
**Symbol:** OR5L1  
**Synonyms:** OR11-151; OST262  
**Mammalian Cell Selection:** Neomycin  
**Vector:** pCMV6-Entry (PS100001)  
**E. coli Selection:** Kanamycin (25 ug/mL)  
**ORF Nucleotide Sequence:** >RC224782 ORF sequence  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGATCGCC**

ATGGGCAAGGAAAACGCACCACTGTGGCTGAGTTCATTCTCCTTGGACTATCAGATGTCCTGAGTTGA  
 GAGTCTGCCTCTCCTGCTGTTCTTCTCATCTATGGAGTCACGTTGTTAGCCAACCTGGGCATGATTGC  
 ACTGATTCAGGTCAGCTCTCGGCTCCACACCCCATGACTTTTTCTCAGCCACTTGCCTCTGTAGAT  
 TTCTGCTACTCCTCAATAAATTGTGCCAAAATGTTGGCTAATATCTTTAACAAGGACAAAGCCATCTCT  
 TCCTAGGGTGCATGGTGAATTCTACTTGTGTTTGGCACTTGTGTGGTCACTGAGGTCTTCTGCTGGCCGT  
 GATGGCCTATGACCGCTTGTGGCCATCTGTAACCCTTTGCTATACACAGTCACCATGTCTTGGAAGGTG  
 CGTGTGGAGCTGGCTTCTGCTGCTACTTCTGTGGACGGTGTGTTCTCTGATTCAATTTGTGCTTAGCTC  
 TTAGGATCCCCTTCTATAGATCTAATGTGATTAACCACCTTTTTCTGTGATCTACCTCCTGTCTTAAGTCT  
 TGCTTGCTCTGATCACTGTGAATGAGACACTGCTGTTCTGGTGGCCACTTTGAATGAGAGTGTACC  
 ATCATGATCATCCTCACCTCCTACCTGCTAATTCTCACCACCATCCTGAAGATGGGCTCTGCAGAGGGCA  
 GGCACAAAGCCTTCTCCACCTGTGCTTCCACCTCACAGCTATCACTGTCTTCCATGGAACAGTCCTTTC  
 CATTTATTGCAGGCCAGTTCAGGCAATAGTGGAGATGCTGACAAAGTGGCCACCGTGTCTACACAGTC  
 GTGATTCCTATGCTGAACTCTGTGATCTACAGCCTGAGAAATAAAGATGTGAAAGAAGCTCTCAGAAAAG  
 TGATGGGCTCCAAAATCACTCC

**ACGCGT**ACGCGGCCGCTCGAGCAGAAAACCTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

**Protein Sequence:** >RC224782 protein sequence  
Red=Cloning site Green=Tags(s)

MGKENCTTVAEFILLGLSDVPELRVCLFLLFLLIYGVTL LANLGMIALIQVSSRLHTPMYFFLSHLSSVD  
 FCYSSIIVPKMLANIFNKDKAISFLGCMVQFYLFCTCVVTEVFLAVMAYDRFVAICNPLLYVTMSWKV  
 RVELASCCYFCGTVCSL IHLCLALRIPFYRSNVINHHFFCDLPPVLSLACSDITVNETLLFLVATL NESVT  
 IMIILTSYLLILTTILKMGSAEGRHKAFSTCASHLTAITVFHGTVLSIYCRPSSGNSGDADKVATVFYTV  
 VIPMLNSVIYSLRNKDVKEALRKVMGSKIHS

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Chromatograms:** [https://cdn.origene.com/chromatograms/mk6447\\_c01.zip](https://cdn.origene.com/chromatograms/mk6447_c01.zip)

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**



**ACCN:** NM\_001004738

**ORF Size:** 933 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_001004738.2](#)

**RefSeq Size:** 936 bp

**RefSeq ORF:** 936 bp

**Locus ID:** 219437

**UniProt ID:** [Q8NGL2](#)

**Cytogenetics:** 11q12.1


**Protein Families:** Transmembrane

**Protein Pathways:** Olfactory transduction

**MW:** 34.6 kDa

**Gene Summary:** Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. This olfactory receptor gene is a segregating pseudogene, where some individuals have an allele that encodes a functional olfactory receptor, while other individuals have an allele encoding a protein that is predicted to be non-functional. [provided by RefSeq, Jun 2015]

Product images:



Circular map for RC224782