

## **Product datasheet for RC224785**

## LARG (ARHGEF12) (NM\_015313) Human Tagged ORF Clone

### **Product data:**

**Product Type:** Expression Plasmids

Product Name: LARG (ARHGEF12) (NM\_015313) Human Tagged ORF Clone

Tag: Myc-DDK

Symbol: LARG

Synonyms: LARG; PRO2792

Mammalian Cell Neomycin

Selection:

**Vector:** pCMV6-Entry (PS100001)


E. coli Selection: Kanamycin (25 ug/mL)

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 

Cloning sites used for ORF Shuttling:





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_015313

ORF Size: 4632 bp



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



**OTI Disclaimer:** 

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <a href="mailto:customport@origene.com">customport@origene.com</a> or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**Note:** Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

**RefSeq:** <u>NM 015313.1</u>, <u>NP 056128.1</u>

RefSeq Size: 9501 bp
RefSeq ORF: 4635 bp
Locus ID: 23365
UniProt ID: Q9NZN5
Cytogenetics: 11q23.3

**Domains:** RhoGEF, PDZ, PH

**Protein Pathways:** Axon guidance, Regulation of actin cytoskeleton, Vascular smooth muscle contraction


**MW:** 173.1 kDa



#### **Gene Summary:**

Rho GTPases play a fundamental role in numerous cellular processes that are initiated by extracellular stimuli working through G protein-coupled receptors. The encoded protein may form a complex with G proteins and stimulate Rho-dependent signals. This protein has been observed to form a myeloid/lymphoid fusion partner in acute myeloid leukemia. Three transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2014]

# **Product images:**



Circular map for RC224785