

Product datasheet for RC224802

Topoisomerase II beta (TOP2B) (NM_001068) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Topoisomerase II beta (TOP2B) (NM_001068) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	TOP2B
Synonyms:	top2beta; TOPIIB
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin
ORF Nucleotide Sequence:	>RC224802 representing NM_001068 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**


ATGGCCAAGTCGGGTGGCTGCGGCGGGGACCGCGTGGGCGGCGGCAACGGGGCACTGACCTGGGTGA
ACAATGCTGCAAAAAAGAAGAGTCAGAACTGCCAACAAAAATGATTCTCAAAGAAGTTGTCTGTTGA
GAGAGTGTATCAGAAGAAGACACAACCTGAACACATTCTTCTCGTCCTGATACATATATTGGGTCAGTG
GAGCCATTGACGCAGTTCATGTGGGTGATGATGAAGATGTAGGAATGAATTGCAGGGAGGTTACCTTTG
TGCCAGGTTTATACAAGATCTTTGATGAAATTTGGTTAATGCTGCTGACAATAAACAGAGGGATAGAA
CATGACTTGATTAAGTTTCTATTGATCCTGAATCTAACATTATAAGCATTGGAATAATGGGAAAGGC
ATTCCAGTAGTAGAACACAAGGTAGAGAAAGTTTATGTTCTGCTTAAATTTTGGACAGCTTTTAAACAT
CCAGTAACTATGATGATGATGAGAAAAAGTTACAGGTGGTCGTAATGGTTATGGTGCAAACTTTGTAA
TATTTTCAGTACAAAGTTTACAGTAGAAACAGCTTGCAAAGAATACAAACACAGTTTTAAGCAGACATGG
ATGAATAATATGATGAAGACTTCTGAAGCCAAAATTAACATTTTGTGGTGAAGATTACACATGCATAA
CATTCCAACAGATCTGCCAAATTTAAGATGGAAAACTTGACAAGGATATTGTGGCCCTCATGACTAG
AAGGGCATATGATTTGGCTGGTTCGTGTAGAGGGTCAAGGTCATGTTTAAATGAAAAGAAATTCCTGTA
AATGGATTTTCGAGTTATGTAGATCTTTATGTGAAAGACAAATGGATGAACTGGGGTGGCCCTGAAAG
TTATTCATGAGCTTGCAATGAAAGATGGGATGTTTGTCTCACATTGAGTGAAAAAGGATTCAGCAAA
CAGCTTTGTAATAGTATTGCAACTACAAAAGGTGGACGGCAGCTGGATTATGTGGTAGATCAAGTTGTT
GGTAAACTGATTGAAGTAGTTAAGAAAAAGAACAAGCTGGTGTATCAGTGAAACCATTTCAAGTAAAA
ACCATATATGGGTTTTTAAATGCCTTATTGAAAATCCAATTTTGATTCTCAGACTAAGGAAAAACAT
GACTCTGCAGCCAAAAGTTTTGGGTCTAAATGCCAGCTGCAGAAAAATTTTTAAAGCAGCCTCTAAT
TGTGGCATTGTAGAAAGTATCCTGAACTGGGTGAAATTTAAGGCTCAGACTCAGCTGAATAAGAAGTGT
CATCAGTAAAATACAGTAAAATCAAAGGATTCCCAAACCTGGATGATGCTAATGATGCTGGTGGTAAACA
TTCCCTGGAGGTACACTGATATTAACAGAGGGAGACTCTGCCAAATCACTGGCTGTGTCTGGATTAGGT
GTGATTGGACGAGACAGATACGGAGTTTTTCCACTCAGGGGCAAAATCTTAATGTACGGGAAGCTTCTC



[View online »](#)

ATAAACAGATCATGGAAATGCTGAAATAAATAATATTATTAATAAGTTGGTCTACAATAAAGAAAAG
TTACGATGATGCAGAATCTCTGAAAACCTTACGCTATGGAAGATTATGATTATGACCGATCAGGATCAA
GATGGTCTCACATAAAAGGCCTGCTTATTAATTTTCATCCATCACAATTGGCCATCACTTTTGAAGCATG
GTTTTCTGAAGAGTTCATTACTCTATTGTAAGGCAAGCAAAAATAAGCAGGAACTTCTCTACAG
TATTCCTGAATTTGACGAATGGAAAAACATATAGAAAACCAGAAAGCCTGGAAAATAAAGTACTATAAA
GGATTGGTACTAGTACAGCTAAAGAAGCAAAGGAATATTTTGTGATATGGAAGGCATCGCATCTTGT
TTAGATATGCTGGTCTGAAGATGATGCTGCCATTACCTTGGCATTAGTAAAGAAGATTGATGACAG
AAAAGAATGGTTAACAAATTTTATGGAAGACCGGAGACGCGTAGGCTACATGGCTTACCAGAGCAATTT
TTATATGGTACTGCAACAAGCATTGACTTATAATGATTTTCATCAACAAGGAATTGATTCTCTCTCAA
ACTCAGACAATGAAAGATCTATACCATCTCTTGTGATGGCTTTAAACCTGGCCAGCGGAAAGTTTTATT
TACCTGTTTCAAGAGGAATGATAAACGTGAAGTAAAAGTTGCCAGTTGGCTGGCTCTGTTGCTGAGATG
TCGGCTTATCATCATGGAGAACAAGCATTGATGATGACTATTGTGAATTTGGCTCAGAATTTGTGGGAA
GTAACAACATTAAGTCTTCAAGCCTATTGGTCAGTTTGGAACTCGGCTCATGGTGGCAAAGATGCTGC
AAGCCCTCGTTATATTTTCACAATGTTAAGCAGTTAGCAAGGCTACTTTTTCTGCTGTGGATGACAAC
CTCCTTAAGTTCCTTTATGATGATAATCAACGTGTAGAGCCTGAGTGGTATATTCCTATAATTCCCATGG
TTTTAATAAATGGTGTGCTGAGGGCATTGGTACTGGATGGGCTTGTAAACTACCCAATATGATGCTAGGGA
AATTGTGAACAATGTCAGACGAATGCTAGATGGCTGGATCCTCATCCCATGCTTCCAAACTACAAAAAC
TTTAAAGGCACGATTCAAGAAGTGGTCAAACCAGTATGCAGTCAGTGGTAAAATTTGTAGTGGACA
GAAACACAGTAGAAAATTACAGAGCTTCCAGTTAGAAGTGGACACAGGTATATAAAGAACAGTTTTAGA
ACCTATGCTAAATGGAACAGATAAAACACCAGCATTAAATTTCTGATTATAAAGAATATCATACTGACACA
ACTGTGAAATTTGTGGTAAAATGACTGAAGAGAACTAGCACAAGCAGAAGCTGCTGGACTGCATAAAG
TTTTTAAACTTCAAAGTCTTACTTGTAAATTCATGGTACTTTTTGATCATATGGGATGTCTGAAGAA
ATATGAAACTGTGCAAGACATTTGAAAGAAATTTGATTACGATTAAAGTATTACGGTTTACGTAAG
GAGTGGCTTGTGGGAATGTTGGGAGCAGAATCTACAAAGCTTAAACAATCAAGCCGTTTCATTTTAGAGA
AGATACAAGGAAAATTAATAGAGAATAGGTCAAAGAAAAGTTTGATTCAAATGTTAGTCCAGAGAGG
TTATGAATCTGACCCAGTAAAGCCTGGAAAGAAGCACAAAGAAAAGGCAGCAGAAGAGGATGAAACACAA
AACCAGCATGATGATAGTTCCCTCCGATTGAGGAAGTCTTTCAGGCCAGATTTTAAATATATTTAAATA
TGTCTCTGTGGTCTTACTAAAGAAAAGTTGAAGAAGTAAACAGAGAGATGCAAAAGGGCGAGA
GGTCAATGATCTTAAAGAAAATCTCCTCAGATCTTTGGAAAGAGGATTTAGCGGCATTTGTTGAAGAA
CTGGATAAAGTGAATCTCAAGAACGAGAAGATGTTCTGGCTGGAATGTCTGGAAAAGCAATTAAGGTA
AAGTTGGCAAACCTAAGGTGAAGAACTCCAGTTGGAAGAGACAATGCCCTCACCTTATGGCAGAAGAAT
AATTCCTGAAATACAGCTATGAAGGCAGATGCCAGCAAAAAGTTGCTGAAGAAGAAGAAGGGTATCTT
GATACTGCAGCAGTAAAAGTGAATTTGATGAAGAATTCAGTGGAGCACCAGTAGAAGGTGCAGGAGAAG
AGGCATTGACTCCATCAGTTCCTATAAATAAAGGTCCCAAACCTAAGAGGGAGAAGAAGGAGCCTGGTAC
CAGAGTGAGAAAAACCTACATCATCTGGTAAACCTAGTGCAAAAGAAAGTGAAGAAACGGAACTCCTTGG
TCAGATGATGAATCCAAGTCAGAAAGTGAATTTGGAAGAAAACAGAACCTGTGGTATTCCAAGAGATTCTT
TGCTTAGGAGAGCAGCAGCCGAAAGACCTAAATACACATTTGATTTCTCAGAAGAAGAGGATGATGATGC
TGATGATGATGATGACAATAATGATTTAGAGGAATTGAAAGTTAAAGCATCTCCATAACAAATGAT
GGGGAAGATGAATTTGTTCCCTCAGATGGGTTAGATAAAGATGAATATACATTTTACCAGGCAAAATCAA
AAGCCACTCCAGAAAAATCTTTCAGATGACAAAAAAGTCAGGATTTTGGAAATCTTCTCATTTCCTTC
ATATTCTCAGAAGTCAGAAGATGATTCAGCTAAATTTGACAGTAATGAAGAAGATTCTGCTTCTGTTTTT
TCACCATCATTTGGTCTGAAACAGACAGATAAAGTTCCAAGTAAAACGGTAGCTGCTAAAAGGGAAAAAC
CGTCTTCAGATACAGTCCCTAAGCCCAAGAGAGCCCAAAACAGAAGAAAGTAGTAGAGGCTGTAAACTC
TGACTCGGATTCAGAATTTGGCATTCCAAGAAGACTACAACACCAAAAGGTAAGGCCGAGGGGCAAAAG
AAAAGGAAAGCATCTGGCTCTGAAAATGAAGGCGATTATAACCTGGCAGGAAAACATCCAAAACAACAA
GCAAGAAACCGAAGAAGACATCTTTTGTGATCAGGATTCAGATGTGGACATCTTCCCTCAGACTCCCTAC
TGAGCCACCTTCTGCCACGAACCGGTGGGCTAGGAAAGAAGTAAAATATTTTGCAGAGTCTGATGAA
GAAGAAGATGATGTTGATTTGCAATGTTAAT

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Plasmid Map:


ACCN: NM_001068

ORF Size: 4863 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001068.3 , NP_001059.2
RefSeq Size:	5189 bp
RefSeq ORF:	4866 bp
Locus ID:	7155
UniProt ID:	Q02880
Cytogenetics:	3p24.2
Domains:	DNA_gyraseB, DNA_topoisolV, HATPase_c
Protein Families:	Druggable Genome
MW:	182.5 kDa
Gene Summary:	<p>This gene encodes a DNA topoisomerase, an enzyme that controls and alters the topologic states of DNA during transcription. This nuclear enzyme is involved in processes such as chromosome condensation, chromatid separation, and the relief of torsional stress that occurs during DNA transcription and replication. It catalyzes the transient breaking and rejoining of two strands of duplex DNA which allows the strands to pass through one another, thus altering the topology of DNA. Two forms of this enzyme exist as likely products of a gene duplication event. The gene encoding this form, beta, is localized to chromosome 3 and the alpha form is localized to chromosome 17. The gene encoding this enzyme functions as the target for several anticancer agents and a variety of mutations in this gene have been associated with the development of drug resistance. Reduced activity of this enzyme may also play a role in ataxia-telangiectasia. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Aug 2016]</p>