

# Product datasheet for RC224864L2

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Septin 2 (SEPT2) (NM 001008491) Human Tagged Lenti ORF Clone

#### **Product data:**

**Product Type: Expression Plasmids** 

**Product Name:** Septin 2 (SEPT2) (NM\_001008491) Human Tagged Lenti ORF Clone

mGFP Tag:

DIFF6; hNedd5; NEDD-5; NEDD5; Pnutl3; SEPT2 Synonyms:

Septin 2

**Mammalian Cell** None

Selection:

Symbol:

Vector: pLenti-C-mGFP (PS100071) E. coli Selection:

Chloramphenicol (34 ug/mL) The ORF insert of this clone is exactly the same as(RC224864).


Sequence:

**ORF Nucleotide** 

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 






<sup>\*</sup> The last codon before the Stop codon of the ORF.





#### Plasmid Map:



**ACCN:** NM\_001008491

ORF Size: 1083 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 001008491.1</u>

RefSeq Size: 3598 bp RefSeq ORF: 1086 bp



### Septin 2 (SEPT2) (NM\_001008491) Human Tagged Lenti ORF Clone - RC224864L2

 Locus ID:
 4735

 UniProt ID:
 Q15019

 Cytogenetics:
 2q37.3

 MW:
 41.3 kDa

Gene Summary: Filament-forming cytoskeletal GTPase. Forms a filamentous structure with SEPTIN12, SEPTIN6,

SEPTIN2 and probably SEPTIN4 at the sperm annulus which is required for the structural integrity and motility of the sperm tail during postmeiotic differentiation (PubMed:25588830). Required for normal organization of the actin cytoskeleton. Plays a role in the biogenesis of polarized columnar-shaped epithelium by maintaining polyglutamylated microtubules, thus facilitating efficient vesicle transport, and by impeding MAP4 binding to tubulin. Required for the progression through mitosis. Forms a scaffold at the midplane of the mitotic splindle required to maintain CENPE localization at kinetochores and consequently chromosome congression. During anaphase, may be required for chromosome segregation and spindle elongation. Plays a role in ciliogenesis and collective cell movements. In cilia, required for the integrity of the diffusion barrier at the base of the primary cilium that prevents diffusion of transmembrane proteins between the cilia and plasma membranes: probably acts by regulating the assembly of the tectonic-like complex (also named B9 complex) by localizing TMEM231 protein. May play a role in the internalization of 2 intracellular microbial pathogens, Listeria monocytogenes and Shigella flexneri.[UniProtKB/Swiss-Prot Function]