

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RC224905L3V

OSBPL9 (NM_024586) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	OSBPL9 (NM_024586) Human Tagged ORF Clone Lentiviral Particle
Symbol:	OSBPL9
Synonyms:	ORP-9; ORP9
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
Tag:	Myc-DDK
ACCN:	NM_024586
ORF Size:	2208 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC224905).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 024586.3</u>
RefSeq Size:	2919 bp
RefSeq ORF:	2211 bp
Locus ID:	114883
UniProt ID:	<u>Q96SU4</u>
Cytogenetics:	1p32.3
Domains:	Oxysterol_BP, PH
MW:	83 kDa



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Gene Summary:This gene encodes a member of the oxysterol-binding protein (OSBP) family, a group of
intracellular lipid receptors. Most members contain an N-terminal pleckstrin homology
domain and a highly conserved C-terminal OSBP-like sterol-binding domain, although some
members contain only the sterol-binding domain. This family member functions as a
cholesterol transfer protein that regulates Golgi structure and function. Multiple transcript
variants, most of which encode distinct isoforms, have been identified. Related pseudogenes
have been identified on chromosomes 3, 11 and 12. [provided by RefSeq, Jul 2010]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US