

#### **OriGene Technologies, Inc.**

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Product datasheet for RC225093

### Bcl2 Binding component 3 (BBC3) (NM\_001127241) Human Tagged ORF Clone

### **Product data:**

Product Type:	Expression Plasmids
Product Name:	Bcl2 Binding component 3 (BBC3) (NM_001127241) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Bcl2 Binding component 3
Synonyms:	JFY-1; JFY1; PUMA
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	<pre>&gt;RC225093 representing NM_001127241 Red=Cloning site Blue=ORF Green=Tags(s)</pre>
	TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCC <mark>GCGATCGC</mark> C
	ATGAAATTTGGCATGGGGTCTGCCCAGGCATGTCCATGCCAGGTGCCCAGGGCTGCTTCCACGACGTGGG TCCCCTGCCAGATTTGTGGTCCTCAGCCCTCGCTCGCTGGCGGAGCAGCACCTGGAGTCGCCCGTGCC CAGCGCCCCGGGGGCTCTGGCGGGCGGTCCCACCCAGGCGGCGGCCGGGAGTCCGCGGGGAGGAGGAGCAG TGGGCCCGGGAGATCGGGGCCCAGCTGCGGCGGATGGCGGACGACCTCAACGCACAGTACGAGCGGCGGA GACAAGAGGAGCAGCAGCGGCACCGCCCCTCACCCTGGAGGGTCCTGTACAATCTCATCATGGGACTCCT GCCCTTACCCAGGGGCCACAGAGCCCCCGAGATGGAGCCCAAT
	ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT ACAAGGATGACGACGATAAG <b>GTTTAA</b>
Protein Sequence:	<pre>&gt;RC225093 representing NM_001127241 Red=Cloning site Green=Tags(s)</pre>
	MKFGMGSAQACPCQVPRAASTTWVPCQICGPQPSLSLAEQHLESPVPSAPGALAGGPTQAAPGVRGEEEQ WAREIGAQLRRMADDLNAQYERRRQEEQQRHRPSPWRVLYNLIMGLLPLPRGHRAPEMEPN
	TRTRPLEQKLISEEDLAANDILDYKDDDDKV
<b>Restriction Sites:</b>	Sgfl-Mlul



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US 

#### **Cloning Scheme:**




\* The last codon before the Stop codon of the ORF

ACCN:	NM_001127241
ORF Size:	393 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol> <li>Centrifuge at 5,000xg for 5min.</li> <li>Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>Close the tube and incubate for 10 minutes at room temperature.</li> <li>Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
RefSeq:	<u>NM 001127241.3</u>
RefSeq Size:	1550 bp
RefSeq ORF:	396 bp
Locus ID:	27113

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

<b>ORIGENE</b> Bcl2 B	inding component 3 (BBC3) (NM_001127241) Human Tagged ORF Clone – RC225093
UniProt ID:	<u>Q9BXH1</u>
Cytogenetics:	19q13.32
Protein Families:	Druggable Genome
Protein Pathways:	Huntington's disease, p53 signaling pathway
MW:	14.5 kDa
Gene Summary:	This gene encodes a member of the BCL-2 family of proteins. This family member belongs to the BH3-only pro-apoptotic subclass. The protein cooperates with direct activator proteins to induce mitochondrial outer membrane permeabilization and apoptosis. It can bind to anti- apoptotic Bcl-2 family members to induce mitochondrial dysfunction and caspase activation. Because of its pro-apoptotic role, this gene is a potential drug target for cancer therapy and for tissue injury. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Dec 2011]

## Product images:



Circular map for RC225093

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US