

Product datasheet for RC225147L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Acid Phosphatase 2 (ACP2) (NM_001131064) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Acid Phosphatase 2 (ACP2) (NM 001131064) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: Acid Phosphatase 2

Synonyms: acid phosphatase 2, lysosomal; Acp-2; LAP; OTTMUSP00000015308

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC225147).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001131064

ORF Size: 480 bp



Acid Phosphatase 2 (ACP2) (NM_001131064) Human Tagged Lenti ORF Clone - RC225147L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 001131064.1, NP 001124536.1

RefSeq ORF: 483 bp Locus ID: 53

Cytogenetics: 11p11.2|11p12-p11

Protein Families: Druggable Genome, Transmembrane

Protein Pathways: Lysosome, Riboflavin metabolism

MW: 18.2 kDa


Gene Summary: The protein encoded by this gene belongs to the histidine acid phosphatase family, which

hydrolyze orthophosphoric monoesters to alcohol and phosphate. This protein is localized to the lysosomal membrane, and is chemically and genetically distinct from the red cell acid phosphatase. Mice lacking this gene showed multiple defects, including bone structure alterations, lysosomal storage defects, and an increased tendency towards seizures. An enzymatically-inactive allele of this gene in mice showed severe growth retardation, hair-follicle abnormalities, and an ataxia-like phenotype. Alternatively spliced transcript variants have been found for this gene. A C-terminally extended isoform is also predicted to be produced by the use of an alternative in-frame translation termination codon via a stop

codon readthrough mechanism. [provided by RefSeq, Oct 2017]



Product images:



Circular map for RC225147L4