

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Product datasheet for RC225164L3V

## CD99 (NM\_001122898) Human Tagged ORF Clone Lentiviral Particle

## **Product data:**

Product Type:	Lentiviral Particles
Product Name:	CD99 (NM_001122898) Human Tagged ORF Clone Lentiviral Particle
Symbol:	CD99
Synonyms:	HBA71; MIC2; MIC2X; MIC2Y; MSK5X
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
Tag:	Myc-DDK
ACCN:	NM_001122898
ORF Size:	507 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC225164).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 001122898.1</u>
RefSeq ORF:	510 bp
Locus ID:	4267
UniProt ID:	<u>P14209</u>
Cytogenetics:	X;Y
Protein Families:	Druggable Genome, Transmembrane
Protein Pathways:	Cell adhesion molecules (CAMs), Leukocyte transendothelial migration
MW:	17.13 kDa



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Gene Summary:The protein encoded by this gene is a cell surface glycoprotein involved in leukocyte<br/>migration, T-cell adhesion, ganglioside GM1 and transmembrane protein transport, and T-cell<br/>death by a caspase-independent pathway. In addition, the encoded protein may have the<br/>ability to rearrange the actin cytoskeleton and may also act as an oncosuppressor in<br/>osteosarcoma. This gene is found in the pseudoautosomal region of chromosomes X and Y<br/>and escapes X-chromosome inactivation. There is a related pseudogene located immediately<br/>adjacent to this locus. [provided by RefSeq, Mar 2016]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US