

Product datasheet for RC225191

ING4 (NM 001127586) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: ING4 (NM_001127586) Human Tagged ORF Clone

Tag: Myc-DDK

Symbol: ING4

Synonyms: my036; p29ING4

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >RC225191 representing NM_001127586
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

TCGTGCGCACTGTTCCATTGAGTGGTTCCATTTTGCCTGTGTGGGGC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC225191 representing NM_001127586

Red=Cloning site Green=Tags(s)

ARARSKGKNSDEEAPKTAQKKLKLVRTVPLSGSILPVWG

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/ja1464-c07.zip



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Restriction Sites:

Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001127586

ORF Size: 537 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 001127586.2

RefSeq ORF: 540 bp
Locus ID: 51147
UniProt ID: Q9UNL4
Cytogenetics: 12p13.31



Protein Families: Druggable Genome, Transcription Factors

MW: 20.3 kDa

Gene Summary: This gene encodes a tumor suppressor protein that contains a PHD-finger, which is a


common motif in proteins involved in chromatin remodeling. This protein can bind TP53 and

EP300/p300, a component of the histone acetyl transferase complex, suggesting its involvement in the TP53-dependent regulatory pathway. Multiple alternatively spliced


transcript variants have been observed that encode distinct proteins. [provided by RefSeq, Jul

2008]

Product images:




Circular map for RC225191



Western blot validation of overexpression lysate (Cat# [LY426813]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC225191 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).





Coomassie blue staining of purified ING4 protein (Cat# [TP325191]). The protein was produced from HEK293T cells transfected with ING4 cDNA clone (Cat# RC225191) using MegaTran 2.0 (Cat# [TT210002]).