

## Product datasheet for **RC225200**

### **RGS4 (NM\_001113380) Human Tagged ORF Clone**

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** RGS4 (NM\_001113380) Human Tagged ORF Clone  
**Tag:** Myc-DDK  
**Symbol:** RGS4  
**Synonyms:** RGP4; SCZD9  
**Vector:** pCMV6-Entry (PS100001)  
**E. coli Selection:** Kanamycin (25 ug/mL)  
**Cell Selection:** Neomycin  
**ORF Nucleotide Sequence:** >RC225200 representing NM\_001113380  
**Red=Cloning site Blue=ORF Green=Tags(s)**

TTTTGTAATACGACTCACTATAGGGCGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGGATCGCC**

**ATGTGCAAAGGGCTTGCAGGTCTGCCGGCTTCTGCTTGAGGAGTGCAAAGATATGAAACATCGGCTAG  
GTTTCCTGCTGCAAAAATCTGATTCCTGTGAACACAATCTTCCCACAACAAGAAGGACAAAGTGGTTAT  
TTGCCAGAGAGTGAGCCAAGAGGAAGTCAAGAAATGGGCTGAATCACTGGAAAACCTGATTAGTCATGAA  
TGTGGGCTGGCAGCTTTCAAAGCTTCTTGAAGTCTGAATATAGTGAGGAGAATATTGACTTCTGGATCA  
GCTGTGAAGAGTACAAGAAAATCAAATCACCATCTAAACTAAGTCCCAAGGCCAAAAAGATCTATAATGA  
ATTCATCTCAGTCCAGGCAACCAAGAGGTGAACCTGGATTCTTGCAACAGGGAAGAGACAAGCCGGAAC  
ATGCTAGAGCCTACAATAACCTGCTTTGATGAGGCCCAGAAGAAGATTTCAACCTGATGGAGAAGGATT  
CCTACCGCCGCTTCTCAAGTCTCGATTCTATCTTGATTGGTCAACCCGTCCAGCTGTGGGGCAGAAAA  
GCAGAAAGGAGCCAAGAGTTCAGCAGACTGTGCTTCCCTGGTCCCTCAGTGTGCC**

**ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA**

**Protein Sequence:** >RC225200 representing NM\_001113380  
**Red=Cloning site Green=Tags(s)**

MCKGLAGLPASCLRSKMDKMRHLGFLQKSDSCEHNSSHKKDKVVICQRVSQEEVKKWAESLENLISHE  
CGLAAFKAFKSEYSEENIDFWISCEEYKKIKSPSKLSPKAKKIYNEFISVQATKEVNLDSCTREETSRN  
MLEPTITCFDEAQKKIFNLMEKDSYRRFLKSRFYLDLVNPPSSCGAEKQKGAQSSADCASLVPQCA

**TRTRPLEQKLISEEDLAANDILDYKDDDDKV**

**Restriction Sites:** SgfI-MluI





**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_001113380.1](#), [NP\\_001106851.1](#)

**RefSeq Size:** 3055 bp

**RefSeq ORF:** 564 bp

**Locus ID:** 5999

**UniProt ID:** [P49798](#)

**Cytogenetics:** 1q23.3

**Protein Families:** Druggable Genome

**MW:** 23.3 kDa

**Gene Summary:** Regulator of G protein signaling (RGS) family members are regulatory molecules that act as GTPase activating proteins (GAPs) for G alpha subunits of heterotrimeric G proteins. RGS proteins are able to deactivate G protein subunits of the Gi alpha, Go alpha and Gq alpha subtypes. They drive G proteins into their inactive GDP-bound forms. Regulator of G protein signaling 4 belongs to this family. All RGS proteins share a conserved 120-amino acid sequence termed the RGS domain. Regulator of G protein signaling 4 protein is 37% identical to RGS1 and 97% identical to rat Rgs4. This protein negatively regulate signaling upstream or at the level of the heterotrimeric G protein and is localized in the cytoplasm. Alternatively spliced transcript variants have been found for this gene. [provided by RefSeq, Jul 2008]