

Product datasheet for RC225222

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

AKIP (AURKAIP1) (NM_001127229) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: AKIP (AURKAIP1) (NM 001127229) Human Tagged ORF Clone

Tag: Myc-DDK

Symbol: AKIP

Synonyms: AIP; AKIP; MRP-S38

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)ORF Nucleotide>RC225222 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

 ${\tt TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC}$

GCCGCGATCGCC

 ${\color{red} \textbf{ACGCGT}} \textbf{ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGGATCTGGCAGCAAATGATATCCTGGATT}$

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC225222 protein sequence

Red=Cloning site Green=Tags(s)

MLLGRLTSQLLRAVPWAGGRPPWPVSGVLGSRVCGPLYSTSPAGPGRAASLPRKGAQLELEEMLVPRKMS VSPLESWLTARCFLPRLDTGTAGTVAPPQSYQCPPSQIGEGAEQGDEGVADAPQIQCKNVLKIRRRKMNH

HKYRKLVKKTRFLRRKVQEGRLRRKQIKFEKDLRRIWLKAGLKEAPEGWQTPKIYLRGK

TRTRPLEQKLISEEDLAANDILDYKDDDDKV





ORIGENE

Chromatograms: https://cdn.origene.com/chromatograms/mk6553 e06.zip

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001127229

ORF Size: 597 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts

of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at customer.com or by

calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: <u>NM 001127229.2</u>

 RefSeq Size:
 951 bp

 RefSeq ORF:
 600 bp

 Locus ID:
 54998

 UniProt ID:
 Q9NWT8

Protein Families: Druggable Genome

1p36.33


MW: 22.4 kDa

Gene Summary: May act as a negative regulator of Aurora-A kinase, by down-regulation through proteasome-

dependent degradation.[UniProtKB/Swiss-Prot Function]


Product images:

Cytogenetics:



Circular map for RC225222





Western blot validation of overexpression lysate (Cat# [LY426729]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with [RC225223] using transfection reagent MegaTran 2.0 (Cat# [TT210002]).