

## Product datasheet for RC225403L3

## CRYZ (NM\_001130043) Human Tagged Lenti ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

Tag: Myc-DDK

Symbol: CRYZ

Mammalian Cell Puromycin

Selection:


Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide Sequence: The ORF insert of this clone is exactly the same as(RC225403).

Restriction Sites: Sgfl-Mlul

**Cloning Scheme:** 



|  | Kozak<br>Consensus |            |          |          |          |              |                 |         |      |     |          |          |          |  |
|--|--------------------|------------|----------|----------|----------|--------------|-----------------|---------|------|-----|----------|----------|----------|--|
| EcoR I   | Bam                | RBS        |          |          | Sgf I    |              |                 |         | ORF  |     |          |          |          |  |
| CTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCGCGATCGC C ATG |                    |            |          |          |          |              |                 |         |      |     |          |          |          |  |
|  | Mlu I              |            | Not I X  |          | Хh       | Xho I        |                 | Myc.Tag |      |     |          |          |          |  |
| NNŇ  | ACG CG             | ACG<br>T   | CGG<br>R | CCG<br>P | CTC<br>L | GAG<br>E     | CAG<br>Q        |         |      | -   | TCA<br>S | GAA<br>E | GAG<br>E |  |
| DDK.Tag  |                    |            |          |          |          |              |                 |         |      |     |          |          |          |  |
| GAT CTG GCA GCA AAT GAT ATC C<br>D L A A N D I                         | TG GAT TA<br>L D Y | C AAG<br>K | GAT 0    |          |          | AT AA<br>D K | G GT1<br>V<br>- | TGG     | GTAG | GAA | 3        |          |          |  |

**ACCN:** NM\_001130043

ORF Size: 885 bp



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

EU: info-de@origene.com CN: techsupport@origene.cn

st The last codon before the Stop codon of the ORF.

## CRYZ (NM\_001130043) Human Tagged Lenti ORF Clone | RC225403L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um

filter is required.

**RefSeq:** <u>NM\_001130043.1</u>, <u>NP\_001123515.1</u>

RefSeq ORF: 888 bp

**Locus ID:** 1429

UniProt ID: Q08257

Cytogenetics: 1p31.1

Protein Families: Druggable Genome

MW: 31.3 kDa


Gene Summary: Crystallins are separated into two classes: taxon-specific, or enzyme, and ubiquitous. The

latter class constitutes the major proteins of vertebrate eye lens and maintains the

transparency and refractive index of the lens. The former class is also called phylogenetically-restricted crystallins. This gene encodes a taxon-specific crystallin protein which has NADPH-dependent quinone reductase activity distinct from other known quinone reductases. It lacks alcohol dehydrogenase activity although by similarity it is considered a member of the zinc-containing alcohol dehydrogenase family. Unlike other mammalian species, in humans, lens expression is low. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. One pseudogene is known to exist. [provided by RefSeq, Sep 2008]



## **Product images:**



Circular map for RC225403L3