

Product datasheet for RC225694L3

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Adenylosuccinate Lyase (ADSL) (NM_001123378) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Adenylosuccinate Lyase (ADSL) (NM_001123378) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: Adenylosuccinate Lyase

Synonyms: AMPS; ASASE; ASL

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC225694).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_001123378

ORF Size: 1275 bp



Adenylosuccinate Lyase (ADSL) (NM_001123378) Human Tagged Lenti ORF Clone - RC225694L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001123378.1, NP 001116850.1</u>

RefSeq ORF: 1278 bp

Locus ID: 158

 UniProt ID:
 P30566

 Cytogenetics:
 22q13.1

Protein Families: Druggable Genome

Protein Pathways: Alanine, aspartate and glutamate metabolism, Metabolic pathways, Purine metabolism

MW: 48.1 kDa

Gene Summary: The protein encoded by this gene belongs to the lyase 1 family. It is an essential enzyme

involved in purine metabolism, and catalyzes two non-sequential reactions in the de novo purine biosynthetic pathway: the conversion of succinylaminoimidazole carboxamide ribotide


(SAICAR) to aminoimidazole carboxamide ribotide (AICAR) and the conversion of

adenylosuccinate (S-AMP) to adenosine monophosphate (AMP). Mutations in this gene are associated with adenylosuccinase deficiency (ADSLD), a disorder marked with psychomotor retardation, epilepsy or autistic features. Alternatively spliced transcript variants have been

found for this gene. [provided by RefSeq, Dec 2015]



Product images:



Circular map for RC225694L3