

Product datasheet for RC225764L3

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

GABA A Receptor alpha 1 (GABRA1) (NM_001127645) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Tag: Myc-DDK

Symbol: GABA A Receptor alpha 1

Synonyms: DEE19; ECA4; EIEE19; EJM; EJM5

Mammalian Cell Puromycin

Selection:


Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide Sequence: The ORF insert of this clone is exactly the same as(RC225764).

Restriction Sites: Sgfl-Mlul

Cloning Scheme:



							c	Koza onsen		_			
EcoR I	Ва	RBS			Sgf I				ORF				
CTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCGCGATCGC C ATG													
	Mlul		Not I <u>Xho I</u>			Myc.Tag							
NNŇ	ACG C	ST ACG	CGG	CCG	стс	GAG	CAG	AAA	стс	ATC	TCA	GAA	GAG
	T	R T	R	Р	L	E	Q	K	L	- 1	S	Е	E
DDK.Tag													
GAT CTG GCA GCA AAT GAT ATC C	rg gat 1	AC AAG						TGG	GTAG	GAA	G		
_D L A A N D I	L D	Y K	D	D	D I	o K	_ v						
							_						

st The last codon before the Stop codon of the ORF.

ACCN: NM_001127645

ORF Size: 1368 bp



GABA A Receptor alpha 1 (GABRA1) (NM_001127645) Human Tagged Lenti ORF Clone | RC225764L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um

filter is required.

RefSeq: <u>NM_001127645.1</u>

RefSeq ORF: 1371 bp

Locus ID: 2554

UniProt ID: <u>P14867</u>

Cytogenetics: 5q34

Protein Families: Druggable Genome, Ion Channels: Cys-loop Receptors, Transmembrane

Protein Pathways: Neuroactive ligand-receptor interaction

MW: 51.6 kDa


Gene Summary: This gene encodes a gamma-aminobutyric acid (GABA) receptor. GABA is the major inhibitory

neurotransmitter in the mammalian brain where it acts at GABA-A receptors, which are ligand-gated chloride channels. Chloride conductance of these channels can be modulated by agents such as benzodiazepines that bind to the GABA-A receptor. GABA-A receptors are pentameric, consisting of proteins from several subunit classes: alpha, beta, gamma, delta and rho. Mutations in this gene cause juvenile myoclonic epilepsy and childhood absence epilepsy type 4. Multiple transcript variants encoding the same protein have been identified for

this gene. [provided by RefSeq, Jul 2008]



Product images:



Circular map for RC225764L3