

Product datasheet for RC225782L2V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

BSCL2 (NM_001122955) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Symbol: BSCL2

Synonyms: GNG3LG; HMN5; HMN5C; PELD; SPG17

Mammalian Cell None

Selection:

Vector: pLenti-C-mGFP (PS100071)

Tag: mGFP

ACCN: NM_001122955

ORF Size: 1194 bp

ORF Nucleotide Sequence: The ORF insert of this clone is exactly the same as(RC225782).

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM_001122955.2</u>

RefSeq ORF: 1389 bp

Locus ID: 26580

UniProt ID: Q96G97

Cytogenetics: 11q12.3

Protein Families: Druggable Genome, Transmembrane





BSCL2 (NM_001122955) Human Tagged ORF Clone Lentiviral Particle | RC225782L2V

MW:

44.39 kDa

Gene Summary:

This gene encodes the multi-pass transmembrane protein protein seipin. This protein localizes to the endoplasmic reticulum and may be important for lipid droplet morphology. Mutations in this gene have been associated with congenital generalized lipodystrophy type 2 or Berardinelli-Seip syndrome, a rare autosomal recessive disease characterized by a near absence of adipose tissue and severe insulin resistance. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. Naturally occurring read-through transcription occurs between this locus and the neighboring locus HNRNPUL2 (heterogeneous nuclear ribonucleoprotein U-like 2).[provided by RefSeq, Mar 2011]