

Product datasheet for RC225810L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Chk1 (CHEK1) (NM_001114121) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Chk1 (CHEK1) (NM_001114121) Human Tagged Lenti ORF Clone

Tag: mGFP
Symbol: Chk1
Synonyms: CHK1

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

Sgfl-Mlul

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC225810).


Sequence:

Restriction Sites: Cloning Scheme:

Cloning sites used for ORF Shuttling:

Sgf I ORF Mlu I

--- GCG ATC GC|C ATG --- //--- NNN ACG CGT ---



Mlu I Not I Xho I mGFP Tag

NNN ACG CGT ACG CGG CCG CTC GAG ATG AGC GGG GGC
T R T R P L E M S G G

... GGA CTC AGA GTT TGG GTA GGA AGC

ACCN: NM_001114121

ORF Size: 1428 bp

^{*} The last codon before the Stop codon of the ORF

Chk1 (CHEK1) (NM_001114121) Human Tagged Lenti ORF Clone - RC225810L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 001114121.1, NP 001107593.1

 RefSeq Size:
 2699 bp

 RefSeq ORF:
 1431 bp

 Locus ID:
 1111

 UniProt ID:
 014757

Cytogenetics: 11q24.2

Protein Families: Druggable Genome, Protein Kinase, Stem cell - Pluripotency

Protein Pathways: Cell cycle, p53 signaling pathway

MW: 54.4 kDa

Gene Summary: The protein encoded by this gene belongs to the Ser/Thr protein kinase family. It is required


for checkpoint mediated cell cycle arrest in response to DNA damage or the presence of unreplicated DNA. This protein acts to integrate signals from ATM and ATR, two cell cycle proteins involved in DNA damage responses, that also associate with chromatin in meiotic prophase I. Phosphorylation of CDC25A protein phosphatase by this protein is required for cells to delay cell cycle progression in response to double-strand DNA breaks. Several

alternatively spliced transcript variants have been found for this gene. [provided by RefSeq,

Oct 2011]



Product images:



Circular map for RC225810L4