

Product datasheet for RC225866L4V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Upstream Binding Protein 1 (UBP1) (NM_001128160) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Upstream Binding Protein 1 (UBP1) (NM_001128160) Human Tagged ORF Clone Lentiviral

Particle

Symbol: Upstream Binding Protein 1
Synonyms: LBP-1a; LBP-1B; LBP1B

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

ACCN: NM 001128160

ORF Size: 1512 bp

ORF Nucleotide

Sequence:

The ORF insert of this clone is exactly the same as(RC225866).

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 001128160.1</u>, <u>NP 001121632.1</u>

 RefSeq ORF:
 1515 bp

 Locus ID:
 7342

 UniProt ID:
 Q9NZI7

 Cytogenetics:
 3p22.3

Protein Families: Transcription Factors

MW: 56.3 kDa





Gene Summary:

Functions as a transcriptional activator in a promoter context-dependent manner. Modulates the placental expression of CYP11A1. Involved in regulation of the alpha-globin gene in erythroid cells. Activation of the alpha-globin promoter in erythroid cells is via synergistic interaction with TFCP2 (By similarity). Involved in regulation of the alpha-globin gene in erythroid cells. Binds strongly to sequences around the HIV-1 initiation site and weakly over the TATA-box. Represses HIV-1 transcription by inhibiting the binding of TFIID to the TATA-box.[UniProtKB/Swiss-Prot Function]