

#### Product datasheet for RC225957L1

## 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

OriGene Technologies, Inc.

EU: info-de@origene.com CN: techsupport@origene.cn

### FAM55C (NXPE3) (NM\_001134456) Human Tagged Lenti ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

Tag: Myc-DDK

Symbol: FAM55C

**Synonyms:** FAM55C; MST115; MSTP115

Mammalian Cell None

Selection:

**Vector:** pLenti-C-Myc-DDK (PS100064)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide Sequence: The ORF insert of this clone is exactly the same as(RC225957).

Restriction Sites: Sgfl-Mlul

**Cloning Scheme:** 



			Kozak Consensus	
EcoR I	BamH I	RBS	Sgf I	ORF
CTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCGCGATCGC C				
	Mlu I	Not I <u>Xho I</u>	Myc.Tag	
NNŇ		CGG CCG CTC GAG		TCA GAA GAG
	TRT	R P L <u>E</u>	QKLI	S E E
DDK.Tag				
GAT CTG GCA GCA AAT GAT ATC CTG GAT TAC AAG GAT GAC GAC GAT AAG GTT TAA ACGGCCGGCC				
D L A A N D I	L DYK	D D D D K	_ V Stop	

st The last codon before the Stop codon of the ORF.

**ACCN:** NM\_001134456

ORF Size: 1677 bp





#### FAM55C (NXPE3) (NM\_001134456) Human Tagged Lenti ORF Clone | RC225957L1

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um

filter is required.

**RefSeq:** <u>NM\_001134456.1</u>

RefSeq Size: 8929 bp

RefSeq ORF: 1680 bp

**Locus ID:** 91775

UniProt ID: Q969Y0

Cytogenetics: 3q12.3

**Protein Families:** Transmembrane

**MW:** 63.8 kDa


**Gene Summary:** This gene encodes a member of the neurexophilin family of neuropeptide-like glycoproteins.

The encoded protein contains a variable N-terminal domain, a highly conserved neurexophilin and PC-esterase (NXPE) central domain, a short linker region, and a cysteine-rich C-terminal domain. This protein binds alpha neurexins, a group of presynaptic transmembrane receptors that promote adhesion between dendrites and axons. Alternative splicing results in multiple


transcript variants. [provided by RefSeq, Feb 2017]



# **Product images:**



Circular map for RC225957L1



Double digestion of RC225957L1 using Sgfl and Mlul