

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RC226005L4V


Estrogen Receptor 1 (ESR1) (NM_001122742) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	Estrogen Receptor 1 (ESR1) (NM_001122742) Human Tagged ORF Clone Lentiviral Particle
Symbol:	ESR1
Synonyms:	ER; Era; ESR; ESRA; ESTRR; NR3A1
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
Tag:	mGFP
ACCN:	NM_001122742
ORF Size:	1785 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC226005).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 001122742.1, NP 001116214.1</u>
RefSeq Size:	6466 bp
RefSeq ORF:	1788 bp
Locus ID:	2099
UniProt ID:	<u>P03372</u>
Cytogenetics:	6q25.1-q25.2
Protein Families:	Druggable Genome, Nuclear Hormone Receptor, Transcription Factors
MW:	66.2 kDa



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Gene Summary:This gene encodes an estrogen receptor and ligand-activated transcription factor. The
canonical protein contains an N-terminal ligand-independent transactivation domain, a
central DNA binding domain, a hinge domain, and a C-terminal ligand-dependent
transactivation domain. The protein localizes to the nucleus where it may form either a
homodimer or a heterodimer with estrogen receptor 2. The protein encoded by this gene
regulates the transcription of many estrogen-inducible genes that play a role in growth,
metabolism, sexual development, gestation, and other reproductive functions and is
expressed in many non-reproductive tissues. The receptor encoded by this gene plays a key
role in breast cancer, endometrial cancer, and osteoporosis. This gene is reported to have
dozens of transcript variants due to the use of alternate promoters and alternative splicing,
however, the full-length nature of many of these variants remain uncertain. [provided by
RefSeq, Jul 2020]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US