

Product datasheet for RC226039L3

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

SHP1 (PTPN6) (NM_080549) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: SHP1 (PTPN6) (NM_080549) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: SHP1

Synonyms: HCP; HCPH; HPTP1C; PTP-1C; SH-PTP1; SHP-1; SHP-1L; SHP1

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC226039).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_080549

ORF Size: 1872 bp



SHP1 (PTPN6) (NM_080549) Human Tagged Lenti ORF Clone - RC226039L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 080549.3</u>, <u>NP 536859.1</u>

 RefSeq ORF:
 1875 bp

 Locus ID:
 5777

 UniProt ID:
 P29350

Cytogenetics: 12p13.31

Domains: Y_phosphatase, SH2, PTPc_motif

Protein Families: Druggable Genome, Phosphatase, Stem cell - Pluripotency

Protein Pathways: Adherens junction, B cell receptor signaling pathway, Jak-STAT signaling pathway, Natural

killer cell mediated cytotoxicity, T cell receptor signaling pathway

MW: 70 kDa

Gene Summary: The protein encoded by this gene is a member of the protein tyrosine phosphatase (PTP)

including cell growth, differentiation, mitotic cycle, and oncogenic transformation. N-terminal part of this PTP contains two tandem Src homolog (SH2) domains, which act as protein phospho-tyrosine binding domains, and mediate the interaction of this PTP with its


family. PTPs are known to be signaling molecules that regulate a variety of cellular processes

substrates. This PTP is expressed primarily in hematopoietic cells, and functions as an important regulator of multiple signaling pathways in hematopoietic cells. This PTP has been shown to interact with, and dephosphorylate a wide spectrum of phospho-proteins involved in hematopoietic cell signaling. Multiple alternatively spliced variants of this gene, which

encode distinct isoforms, have been reported. [provided by RefSeq, Jul 2008]



Product images:



Circular map for RC226039L3