

Product datasheet for RC226169L4V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PDE10A (NM_001130690) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: PDE10A (NM 001130690) Human Tagged ORF Clone Lentiviral Particle

Symbol: PDE10A

Synonyms: ADSD2; HSPDE10A; IOLOD; LINC00473; PDE10A19

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

ACCN: NM_001130690

ORF Size: 2367 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC226169).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 001130690.2</u>

 RefSeq Size:
 8207 bp

 RefSeq ORF:
 2370 bp

 Locus ID:
 10846

 UniProt ID:
 Q9Y233

Cytogenetics: 6q27

Protein Families: Druggable Genome

Protein Pathways: Progesterone-mediated oocyte maturation, Purine metabolism





PDE10A (NM_001130690) Human Tagged ORF Clone Lentiviral Particle - RC226169L4V

MW: 89.8 kDa

Gene Summary: The protein encoded by this gene belongs to the cyclic nucleotide phosphodiesterase family.

It plays a role in signal transduction by regulating the intracellular concentration of cyclic nucleotides. This protein can hydrolyze both cAMP and cGMP to the corresponding nucleoside 5' monophosphate, but has higher affinity for cAMP, and is more efficient with cAMP as substrate. Alternatively spliced transcript variants have been described for this gene.

[provided by RefSeq, Dec 2011]