

Product datasheet for RC226215L1V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

MRP4 (ABCC4) (NM_001105515) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: MRP4 (ABCC4) (NM_001105515) Human Tagged ORF Clone Lentiviral Particle

Symbol: MRP4

Synonyms: MOAT-B; MOATB; MRP4

Mammalian Cell

Selection:

None

Vector:

pLenti-C-Myc-DDK (PS100064)

Tag: Myc-DDK

ACCN: NM_001105515

ORF Size: 2577 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC226215).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 001105515.1

 RefSeq ORF:
 2580 bp

 Locus ID:
 10257

 UniProt ID:
 015439

Cytogenetics: 13q32.1

Protein Families: Druggable Genome, Ion Channels: Other, Transmembrane

Protein Pathways: ABC transporters

MW: 96.7 kDa







Gene Summary:

The protein encoded by this gene is a member of the superfamily of ATP-binding cassette (ABC) transporters. ABC proteins transport various molecules across extra- and intra-cellular membranes. ABC genes are divided into seven distinct subfamilies (ABC1, MDR/TAP, MRP, ALD, OABP, GCN20, White). This protein is a member of the MRP subfamily which is involved in multi-drug resistance. This family member plays a role in cellular detoxification as a pump for its substrate, organic anions. It may also function in prostaglandin-mediated cAMP signaling in ciliogenesis. Alternative splicing of this gene results in multiple transcript variants. [provided by RefSeq, Sep 2014]