

Product datasheet for RC226265

NCOA7 (NM_001122842) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	NCOA7 (NM_001122842) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	NCOA7
Synonyms:	dj187J11.3; ERAP140; ESNA1; Nbla00052; Nbla10993; NCOA7-AS; TLDC4
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Restriction Sites:	SgfI-MluI
Cloning Scheme:	


Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF



[View online >](#)

Plasmid Map:


ACCN: NM_001122842

ORF Size: 2793 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001122842.3](#)

RefSeq Size:	6424 bp
RefSeq ORF:	2796 bp
Locus ID:	135112
UniProt ID:	Q8NI08
Cytogenetics:	6q22.31-q22.32
Protein Families:	Druggable Genome
MW:	104.8 kDa
Gene Summary:	Enhances the transcriptional activities of several nuclear receptors. Involved in the coactivation of different nuclear receptors, such as ESR1, THRB, PPARG and RARA. [UniProtKB/Swiss-Prot Function]