

## Product datasheet for RC226294

### ORP150 (HYOU1) (NM\_001130991) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	ORP150 (HYOU1) (NM_001130991) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	HYOU1
Synonyms:	GRP-170; Grp170; HSP12A; IMD59; ORP-150; ORP150
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin
ORF Nucleotide Sequence:	>RC226294 representing NM_001130991 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGGCAGACAAAGTTAGGAGGCAGAGGCCGAGGAGCGAGTCTGTTGGCCTTGGTGGCTGTGCTCTTGG  
CAGACCTGTTGGCACTGAGTGATACACTGGCAGTGATGTCTGTGGACCTGGCAGTGAGTCCATGAAGGT  
GGCCATTGTCAAACCTGGAGTGCCCATGGAAATTTGCTTGAATAAGGAATCTCGGAGGAAAACACCGGTG  
ATCGTGACCCTGAAAGAAAATGAAAGATTCTTTGGAGACAGTGCAGCAAGCATGGCGATTAAGAATCCAA  
AGGCTACGCTACGTTACTTCCAGCACCTCCTGGGGAAGCAGGCAGATAACCCCATGTAGCTCTTTACCA  
GGCCCCGTTCCCGGAGCAGGAGCTGACTTTTCGACCCACAGAGGCAGACTGTGCACTTTCAGATCAGCTCG  
CAGCTGCAGTTCTCACCTGAGGAAGTGTGGGCATGGTTCTCAATTATTCTCGTTCTCTAGCTGAAGATT  
TTGCAGAGCAGCCATCAAGGATGCAGTGATCACCGTGCCAGTCTTCTTCAACCAGGCCGAGCGCCGAGC  
TGTGCTGCAGGCTGCTCGTATGGCTGGCCTCAAAGTGTGCAGCTCATCAATGACAACACCGCCACTGCC  
CTCAGCTATGGTGTCTTCCGCCGAAAGATATTAACACCACTGCCAGAATATCATGTTCTATGACATGG  
GCTCAGGCAGCACCGTATGCACATTGTGACCTACCAGATGGTGAAGACTAAGGAAGCTGGGATGCAGCC  
ACAGCTGCAGATCCGGGAGTAGGATTTGACCGTACCCTGGGGGCCCTGGAGATGGAGCTCCGGCTTCGA  
GAACGCCTGGCTGGGCTTTTCAATGAGCAGCGCAAGGGTCAGAGAGCAAAGGATGTGCGGGAGAACCCGC  
GTGCCATGGCAAAGCTGCTGCGTGAGGCTAATCGGCTCAAAACCGTCTCAGTGCCAACGCTGACCACAT  
GGCACAGATTGAAGGCCTGATGGATGATGTGGACTTCAAGGCAAAAGTGACTCGTGTGGAATTTGAGGAG  
TTGTGTGCAGACTTGTGGAGCGGGTGCCTGGGCCTGTACAGCAGGCCCTCCAGAGTGCCGAAATGAGTC  
TGGATGAGATTGAGCAGGTGATCCTGGTGGTGGGGCCACTCGGGTCCCCAGAGTTCAGGAGGTGCTGCT  
GAAGGCCGTGGCAAGGAGGAGCTGGGAAGAATCAATGCAGATGAAGCAGCCGCATGGGGCAGTG  
TACCAGGCAGCTGCGCTCAGCAAAGCCTTTAAAGTGAAGCCATTTGTCGTCGAGATGCAGTGGTCTACC  
CCATCCTGGTGGAGTTCACGAGGAGGTGGAGGAGGAGCCTGGGATTCACAGCCTGAAGCACAATAAACG  
GGTACTCTTCTCGGATGGGGCCCTACCTCAACGCAAAGTCATCACCTTTAACCGCTACAGCCATGAT  
TTCAACTTCCACATCAACTACGGCGACCTGGGCTTCTGGGGCCTGAAGATCTTCGGGTATTTGGCTCCC



AGAATCTGACCACAGTGAAGCTAAAAGGGTGGGTGACAGCTTCAAGAAGTATCCTGACTACGAGTCCAA  
 GGGCATCAAGGCTCACTTCAACCTGGATGAGAGTGGCGTGCTCAGTCTAGACAGGGTGGAGTCTGTATTT  
 GAGACTGTTAGAGGACAGCGCAGAAGAGGAATCTACTCTACCAAACCTGGCAACACCATTTCCAGCC  
 TGTGGAGGCGGTACCACACCAGATGCCAAGGAGAATGGTACTGATACTGTCCAGGAGGAAGAGGAGAG  
 CCCTGCAGAGGGGAGCAAGGACGAGCCTGGGGAGCAGGTGGAGCTCAAGGAGGAAGCTGAGGCCCATG  
 GAGGATGGCTCTCAGCCCCACCCCTGAACCTAAGGGAGATGCAACCCCTGAGGGAGAAAAGGCCACAG  
 AAAAAGAAAATGGGGACAAGCTGAGGCCCAGAAACCAAGTGAAGAAGCAGAGGCAGGGCCTGAGGCGT  
 CGCTCCAGCCCCAGAGGGAGAGAAGAAGCAGAAGCCCGCCAGGAAGCGGGAATGGTAGAGGAGATCGGG  
 GTGGAGCTGGTTGTTCTGGACCTGCCTGACTTGCCAGAGGATAAGCTGGCTCAGTCGGTGCAGAACTTC  
 AGGACTTGACTCCGAGACCTGGAGAAGCAGGAACGGGAAAAAGCTGCCAACAGCTTGAAGCATTTCAT  
 ATTTGAGACCCAGGACAAGCTGTACCAGCCGAGTACCAGGAAGTGTCCACAGAGGAGCAGCGTGAAGG  
 ATCTCTGGGAAGCTCAGCGCCGATCCACCTGGCTGGAGGATGAGGGTGTGGAGCCACCACAGTGTGT  
 TGAAGGAGAAGCTGGCTGAGCTGAGGAAGCTGTGCCAAGGGCTGTTTTTCGGGTAGAGGAGCGCAAGAA  
 GTGGCCGAACGGCTGTCTGCCCTCGATAATCTCCTCAACCATTCCAGCATGTTCTCAAGGGGGCCCGG  
 CTCATCCCAGAGATGGACCAGATCTTCACTGAGGTGGAGATGACAACGTTAGAGAAAGTCATCAATGAGA  
 CCTGGGCCTGGAAGAATGCAACTCTGGCCGAGCAGGCTAAGCTGCCCGCCACAGAGAAGCCTGTGTGTCT  
 CTCAAAAGACATTGAAGCTAAGATGATGGCCCTGGACCGAGAGGTGCAGTATCTGCTCAATAAGGCCAAG  
 TTTACCAAGCCCCGGCCCCGGCCTAAGGACAAGAATGGGACCCGGGCAGAGCCACCCCTCAATGCCAGTG  
 CCAGTGACCAGGGGGAGAAGGTCATCCCTCCAGCAGGCCAGACTGAAGATGCAGAGCCCATTTGAGAACC  
 TGAGAAAGTAGAGACTGGATCCGAGCCAGGAGACTGAGCCTTTGGAGTTAGGAGGTCTGGAGCAGAA  
 CCTGAACAGAAAACAATCGACAGGACAGAAGCGGCCTTTGAAGAACGACGAATA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:**

>RC226294 representing NM\_001130991  
 Red=Cloning site Green=Tags(s)

MADKVRQRPRRRVCWALVAVLLADLLALSDTLAVMSVDLGSSEMKVAIVKPGVPMIEIVLNKESRRKTPV  
 IVTLKENERFFGDSAASMAIKNPKATLRYFQHLLGKQADNPHVALYQARFPEHELTFDPQRQTVHFQISS  
 QLQF SPEEVLGMVLNYSRSLAEDFAEQPIKDAVITVPVFFNQAERRAVLQAARMAGLKVLQLINDNTATA  
 LSYGVFRRKDINTTAQNIIMFYDMGSGSTVCTIVTYQMVKKEAGMQPQLQIRGVGFDRTLGGLEMLRLR  
 ERLAGLFNEQRKQRAKDVRENPRAMAKLLREANRLKTVLSANADHMAQIEGLMDDVDFKAKVTRVEFEE  
 LCADL FERVPGPVQQALQSAEMSLDEIEQVILVGGATRVPRVQEVLLKAVGKEELGKNINADEAAAAMGAV  
 YQAAALSKAFKVKPFVVRDAVVYPILVEFTREVEEPEGIHLKHNRVLSRMGPYPQRKVI TFNRYSHD  
 FNFHINYDGLGFLGPEDLRVFGSQNLTTVCLKGVGDSFKKYPDYESKGIAHFNLDESGVLSLDRVESVF  
 ETLVEDSAEEESTLTKLGNTISSLFGGGTPDAKENGTDTVQEEEESPAEGSKDEPGEQVELKEEAEAPV  
 EDGSQPPPEPKGDATPEGEKATEKENGDKSEAQKPKSEAEAGPEGVAPAPEGEKKQKPKARKRRMVEEIG  
 VELVVLDPDLPEDKLAQSVQKLQDLTLRDLEKQEREKAANSLEAFIFETQDKLYQPEYQEVSTEEQREE  
 ISGKLSAASTWLEDEGVGATTVMLEKLAELRKLQGLFFRVEERKKWPERLSALDNLLNHSSMFLKGAR  
 LIPEMDQIFTEVEMTTLEKVINETWAWKNATLAEQAKLPATEKPVLLSKDIEAKMMALDREVQYLLNKA  
 FTKPRPRPKDKNGTRAEPPLNASASDQGEKVIIPAGQTEAEP ISEPEK VETGSEPGDTEPLELGGPGAE  
 PEQKEQSTGQKRPLKNDEL

TRTRPLEQKLI SEEDLAANDILDYKDDDDKV


**Restriction Sites:**

SgfI-MluI

Cloning Scheme:



Plasmid Map:



ACCN: NM\_001130991  
ORF Size: 2997 bp

<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001130991.3</a>
<b>RefSeq ORF:</b>	3000 bp
<b>Locus ID:</b>	10525
<b>UniProt ID:</b>	<a href="#">Q9Y4L1</a>
<b>Cytogenetics:</b>	11q23.3
<b>Protein Families:</b>	Transmembrane
<b>MW:</b>	111.34 kDa
<b>Gene Summary:</b>	<p>The protein encoded by this gene belongs to the heat shock protein 70 family. This gene uses alternative transcription start sites. A cis-acting segment found in the 5' UTR is involved in stress-dependent induction, resulting in the accumulation of this protein in the endoplasmic reticulum (ER) under hypoxic conditions. The protein encoded by this gene is thought to play an important role in protein folding and secretion in the ER. Since suppression of the protein is associated with accelerated apoptosis, it is also suggested to have an important cytoprotective role in hypoxia-induced cellular perturbation. This protein has been shown to be up-regulated in tumors, especially in breast tumors, and thus it is associated with tumor invasiveness. This gene also has an alternative translation initiation site, resulting in a protein that lacks the N-terminal signal peptide. This signal peptide-lacking protein, which is only 3 amino acids shorter than the mature protein in the ER, is thought to have a housekeeping function in the cytosol. In rat, this protein localizes to both the ER by a carboxy-terminal peptide sequence and to mitochondria by an amino-terminal targeting signal. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Mar 2014]</p>