

Product datasheet for RC226320L4V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CD11a (ITGAL) (NM_001114380) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Symbol: CDlla

Synonyms: CD11A; LFA-1; LFA1A

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

ACCN: NM_001114380

ORF Size: 3258 bp

ORF Nucleotide Sequence: The ORF insert of this clone is exactly the same as(RC226320).

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM_001114380.1</u>

RefSeq ORF: 3261 bp

Locus ID: 3683

UniProt ID: <u>P20701</u>

Cytogenetics: 16p11.2

Protein Families: Druggable Genome, ES Cell Differentiation/IPS, Transmembrane





CD11a (ITGAL) (NM_001114380) Human Tagged ORF Clone Lentiviral Particle | RC226320L4V

Protein Pathways: Cell adhesion molecules (CAMs), Leukocyte transendothelial migration, Natural killer cell

mediated cytotoxicity, Regulation of actin cytoskeleton, Viral myocarditis

MW: 119.22 kDa

Gene Summary: ITGAL encodes the integrin alpha L chain. Integrins are heterodimeric integral membrane

proteins composed of an alpha chain and a beta chain. This I-domain containing alpha integrin combines with the beta 2 chain (ITGB2) to form the integrin lymphocyte function-associated antigen-1 (LFA-1), which is expressed on all leukocytes. LFA-1 plays a central role in leukocyte intercellular adhesion through interactions with its ligands, ICAMs 1-3 (intercellular adhesion molecules 1 through 3), and also functions in lymphocyte costimulatory signaling. Two transcript variants encoding different isoforms have been found for this gene. [provided

by RefSeq, Jul 2008]