

Product datasheet for RC226324L3

SPINK5 (NM_001127698) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Tag: Myc-DDK

Symbol: SPINK5

Synonyms: LEKTI; LETKI; NETS; NS; VAKTI

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide Sequence: The ORF insert of this clone is exactly the same as(RC226324).

Restriction Sites: Sgfl-Mlul

Cloning Scheme:



			Kozak Consensus	
EcoR I	BamH I	RBS	Sgf I	ORF
CTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCGCGATCGC C ATG				
	Mlu I	Not I <u>Xho I</u>	Myc.Tag	
NNŇ		CGG CCG CTC GAG	CAG AAA CTC ATC T	CA GAA GAG
	TRT	R P L <u>E</u>	QKLI	S E E
DDK.Tag				
GAT CTG GCA GCA AAT GAT ATC CTG GAT TAC AAG GAT GAC GAC GAT AAG GTT TGGGTAGGAAG				
D L A A N D I	L DYK	D D D D K	_ v	

 $[\]ensuremath{^*}$ The last codon before the Stop codon of the ORF.

ACCN: NM_001127698

ORF Size: 3282 bp



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

EU: info-de@origene.com CN: techsupport@origene.cn

SPINK5 (NM_001127698) Human Tagged Lenti ORF Clone | RC226324L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um

filter is required.

RefSeq: <u>NM_001127698.1</u>

RefSeq ORF: 3285 bp

Locus ID: 11005

UniProt ID: Q9NQ38

Cytogenetics: 5q32

MW: 124.08 kDa

Gene Summary: This gene encodes a multidomain serine protease inhibitor that contains 15 potential inhibitory


domains. The encoded preproprotein is proteolytically processed to generate multiple protein products, which may exhibit unique activities and specificities. These proteins may play a role in skin and hair morphogenesis, as well as anti-inflammatory and antimicrobial protection of mucous epithelia. Mutations in this gene may result in Netherton syndrome, a disorder

characterized by ichthyosis, defective cornification, and atopy. This gene is present in a gene cluster on chromosome 5. Alternative splicing results in multiple transcript variants. [provided

by RefSeq, Oct 2015]



Product images:



Circular map for RC226324L3