

Product datasheet for RC226341

KCC2 (SLC12A5) (NM_001134771) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	KCC2 (SLC12A5) (NM_001134771) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	SLC12A5
Synonyms:	DEE34; EIEE34; EIG14; hKCC2; KCC2
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin
ORF Nucleotide Sequence:	>RC226341 representing NM_001134771 Red=Cloning site Blue=ORF Green=Tags(s)

TTTGTAAACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGAGCCGAGGTTACGGTCACCTCGTGCCTCCCGCAGGGCCCGCCAGAAGCCCTGACCCAGAGTCCC
GCCGGCATTTCGGTCGCAGACCCCGCCACCTCCCGGGGGAAGACGTCAAAGGTGATGGCAACCCCAAGGA
AAGCAGTCCCTTCATCAACAGCACCGACACAGAGAAGGGAAAGGAGTATGATGGCAAGAACATGGCCTTG
TTTGAGGAGGAGATGGACACCAGCCCTATGGTGTCTCCTTGCTCAGTGGCCTGGCCAACACTACCAACC
TGCCCCAGGGAAGTAGGGAGCATGAAGAGGCAGAAAACAATGAGGGTGGAAAAAGAAGCCGGTGCAGGC
CCCACGCATGGGCACCTTCATGGGCGTGTACCTGCCGTGCCTGCAGAACATCTTTGGCGTCATCCTCTTC
CTGCGGCTCACCTGGGTGGTGGGCATTGCAGGCATCATGGAGTCCTTCTGCATGGTGTTCATCTGCTGCT
CCTGTACGATGCTCACGGCCATCTCCATGAGTGAATTGCAACGAATGGTGTGTGCCTGCTGGTGGCTC
CTACTACATGATTTCCAGGTCTCTGGGCCAGAGTTTGGGGTGCCGTGGGCCTTGCTTCTACCTGGGC
ACTACCTTTCAGGAGCCATGTACATCCTGGGCACCATCGAAATCCTGCTGGCTTACCTCTCCAGCCA
TGCCATCTTCAAGGCAGAAGATGCCAGTGGGGAGGCAGCAGCCATGCTGAACAACATGCGTGTTCACGG
CACCTGTGTGCTCACCTGCATGGCCACTGTGGTGTGTGGGTGTCAAGTATGTCAACAAGTTTGCCCTT
GTCTTCTGGGTTGTGTATCCTCTCCATCCTGGCCATCTATGCTGGGGTGCATCAAGTCTGCCTTCGACC
CACCCAACCTCCCGATCTGCCTCCTGGTAACCGCACGCTGTCTCGCCATGGCTTGTGATGTCTGTGCCAA
GCTGGCTTGGGAAGGAAATGAGACGGTGACACACGGCTATGGGGCCTTTCTGCTCCTCTCGTTCCTC
AACGCCACCTGTGATGAATACTTCAACCCGAAACAATGTCACAGAGATCCAGGGCATCCCTGGTGTGCCA
GTGGCCTCATCAAGAGAACCTCTGGAGCTCTACCTGACCAAGGGCGTGATTGTGGAGAGGAGTGGGAT
GACCTCGGTGGGCCTGGCCGATGGCACTCTATCGACATGGACCACCTTATGTCTTCAGTGATATGACC
TCCTACTTCAACCTGCTGGTTGGCATCTACTTCCCTCAGTCACAGGGATCATGGCTGGTCTAACCGCT
CTGGGGACCTGAGGGATGCCAGAAGTCAATCCCACTGGCACCATCCTGGCCATCGCCACCACCTCTGC
TGCTACATCAGCTCCGTTGTTCTGTTGGGGCTGCATTGAGGGGGTGCCTCGCGGGACAAGTTTGGC
GAAGCTGTGAATGGCAACCTCGTGGTGGCACTCTGGCCTGGCCATCTCCATGGGTAATTGTCATCGGAT



[View online »](#)

CCTTCTTCCACCTGTGGGGCTGGGCTGCAGAGCCTCACGGGGCCCCACGCCTGCTGCAGGCCATCTC
 GAGGGATGGCATTGTGCCCTTCCTGCAGGCTTTTGGCCATGGCAAGGCCAATGGAGAGCCGACCTGGGCC
 CTGCTCCTGACTGCCTGCATCTGCGAGATTGGCATCCTCATTGCATCCCTCGACGAGGTGGCCCCATCC
 TCTCTATGTTCTTCTGATGTGTACATGTTTGTGAATCTGGCCTGTGCAGTGCAGACGCTGCTGAGGAC
 ACCCAACTGGAGGCCACGCTTTCGATATTACCACTGGACCCTCTCCTTCTGGGCATGAGCCTCTGCCTG
 GCCCTCATGTTTCATCTGCTCTGGTATTATGCACCTGGTAGCCATGCTCATTGCTGGACTCATACAAGT
 ACATTGAGTACCGTGGGCAGAGAAGGAGTGGGCGGATGGGATACGAGGTCTGTCTCAGTGGCGCTCG
 CTATGCCCTCTTACGCCTGGAGGAAGGGCCCCACACCAAGAAGTGGAGGCCACAGCTGCTGGTGCTG
 GTGCGTGTGGACCAAGACCAGAATGTGGTGCACCCCCAGCTGCTCTCACTGACCTCCCAGCTGAAGGCAG
 GGAAGGGCCTGACCATCGTGGGCTCTGTCTTGGAGGCACCTTTCTGGAAAATCATCCACAGGCCACGCG
 GGCAGAAGAGTCTATCAGGCGCCTGATGGAGGCAGAGAAGGTGAAGGGCTTCTGCCAGGTGGTATCTCC
 TCCAACTTGCCTGATGGCGTGTCCCATCTGATCCAGTCCGGGGCCTCGGGGGCTGCAGCACAACACTG
 TGCTTGTGGCTGGCCCCGAACCTGGCCCGAGAAGGAAGATCATCAGACGTGGAGGAACCTCATTGAGCT
 GGTCCGGAAACCACAGCTGGCCACTTAGCCCTGCTGGTACCAAGAACGTTTCCATGTTTCTGGGAAC
 CCTGAGCGTCTCTGAGGGCAGCATCGACGTTTGGTGGATTGTGCACGATGGAGGCATGCTCATGCTGC
 TGCCCTTCTGCTGCGGCCACCACAAGGTCTGGCGAAGTCAAGATGCGTATCTTCACTGTGGCCAGAT
 GGATGACAATAGCATCCAGATGAAGAAGGATCTGACCACATTTCTGTATCATTTACGCATCACTGCGGAG
 GTGCGAGGTGGTGGAGATGCATGAGAGCGACATCTCAGCTTACACCTATGAGAAGACGTTGGTGGTGGAGC
 AGCGTTCCAGATCCTCAAACAGATGCATTTAACCAAGAATGAGCGGGAGCGGGAGATCCAGAGTATCAC
 AGATGAGTCACGAGGCTCAATCCGGAGAAAAGTCCAGCCAACACGCGGCTCCGCTGAACGTCACAGAA
 GAGACGGCTGGTACAGTGAAGAGAAGCCAGAGGAGGAGTGCAGCTGATCCACGATCAGAGTGTCCCA
 GCTGCCACGACGCTCCCGTCCCAGGGGAGGAGCCTGAGGGGAAGGGGAGACAGATCCGGAGAAGGT
 GCATCTACCTGGACCAAGGACAAGTCCGTGGCAGAGAAGAATAAGGGCCCCAGTCTGCTCCTCTGAG
 GGATCAAGGACTTCTTACGATGAAGCCGGAGTGGGAGAAGTGAACCAAGTCCAACGTCGCGGCATGC
 ACACGGCCGTGCGGCTGAACGAGGTCATCGTGAAGAAAATCCCGGACGCCAAGCTTGTGTTTCTCAACAT
 GCCTGGGCTCCCGCAACCGCAATGGTATGAAAACATGAGGTTTCTCGAGGTCCTCACAGAGCAC
 CTGACCAGGGTATGCTGGTCCGCGGGCGGCCGAGGTCATCACCATCTACTCC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>RC226341 representing NM_001134771
 Red=Cloning site Green=Tags(s)

MSRRFTVTSLPPAGPARSPDPESRRHSVADPRHLPGEDVKGDGNPKESSPFINSTDEKKEYDGNMML
 FEEEMDTPMVSSLLSGLANYTNLPQGSREHEEAENNEGKPKPVQAPRMGTFMGVYLPCLQNIQFVILF
 LRLTWVGIAGIMESFCVMFICCSCTMLTAISMSAIATNGVVPAGGSYYMISRSLGPEFGGAVLFCYLG
 TTFAGAMYILGTIEILLAYLFPAMAIKFAEDASGEAAAMLNMRVYGTCLVTCMATVVVFGVKYVNFAL
 VFLGCVILSILAIYAGVIKSAFDPNPFICLLGNRTLNRHGFVCAKLAWEGETVTTTLWGLFCSSRFL
 NATCDEYFTRNNVTEIQGIPGAASGLIKENLWSSYLTKGVIVERSGMTSVGLADGTPIDMDHPYVSDMT
 SYFTLLVGIYFSPVTGIMAGSNRSGDLRDAQSIPTGTILAIATTSAVYISSVVLFGACIEGVVLRDKFG
 EAVNGNLVVGTLAWPSPWVIVIGSFFSTCGAGLQSLTGAPRLLQAI SRDGI VPFQVFGHGKANGEPTWA
 LLLTACICEIGILIASLDEVAPILSMFFLMCYMFVNLACAVQTLRLTPNWRPRFRYYHWLTSFLGMSLCL
 ALMFICSWYYALVAMLIAGLIYKYIEYRGAKEWGDGIRGLSLSAARYALLRLEEGPHTKNWRPQLLV
 VRVDQDQNVVHPQLLSLTSQKAGKGLTIVGSVLEGTFLNHPQAQRAEESIRRLMEAEKVKGFCQVVIS
 SNLRDGVSHLIQSGGLGGLQHNTVLVGWPRNWRQKEDHQTWRNFIELVRETTAGHLALLVTKNVSMFPGN
 PERFSEGSIDVWVIVHDGGMLMLLPFLLRHHKVRKCKMRFITVAQMDDNSIQMKKDLTFLYHLRITAE
 VEVVEMHESDISAYTYEKTLMVEQRSQILKQMHLLTKNEREREIQSITDESRGSIRRRKNPANTRLRLNVPE
 ETAGDSEEKPEEEVQLIHDQSAPSCSPSSPSPGEEPEGEGETDPEKVHLTWTDKDSVAEKNKGPSPVSS
 GIKDFFSMKPEWENLNQSNVRRMHTAVRLNEVIVKKSRAKLVLLNMPGPPRNRNGDENYMEFLEVLTEH
 LDRVMLVRGGGREVITIYS



TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:


SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF

Plasmid Map:


ACCN: NM_001134771

ORF Size: 3417 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001134771.1](#), [NP_001128243.1](#)

RefSeq ORF: 3420 bp

Locus ID: 57468

UniProt ID: [Q9H2X9](#)

Cytogenetics: 20q13.12

Protein Families: Transmembrane

MW: 126 kDa

Gene Summary: K-Cl cotransporters are proteins that lower intracellular chloride concentrations below the electrochemical equilibrium potential. The protein encoded by this gene is an integral membrane K-Cl cotransporter that can function in either a net efflux or influx pathway, depending on the chemical concentration gradients of potassium and chloride. The encoded protein can act as a homomultimer, or as a heteromultimer with other K-Cl cotransporters, to maintain chloride homeostasis in neurons. Alternative splicing results in two transcript variants encoding different isoforms. [provided by RefSeq, Sep 2008]