

## **Product datasheet for RC226356L3**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### Centaurin gamma 1 (AGAP2) (NM\_001122772) Human Tagged Lenti ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

**Product Name:** Centaurin gamma 1 (AGAP2) (NM\_001122772) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: Centaurin gamma 1

Synonyms: CENTG1; GGAP2; PIKE

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC226356).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF.

**ACCN:** NM\_001122772

ORF Size: 3576 bp





#### Centaurin gamma 1 (AGAP2) (NM\_001122772) Human Tagged Lenti ORF Clone - RC226356L3

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001122772.1</u>, <u>NP 001116244.1</u>

 RefSeq ORF:
 3579 bp

 Locus ID:
 116986

 UniProt ID:
 099490

 Cytogenetics:
 12q14.1

**Protein Pathways:** Endocytosis

**MW:** 124.4 kDa


**Gene Summary:** The protein encoded by this gene belongs to the centaurin gamma-like family. It mediates

anti-apoptotic effects of nerve growth factor by activating nuclear phosphoinositide 3-kinase. It is overexpressed in cancer cells, and promotes cancer cell invasion. Alternatively spliced transcript variants encoding different isoforms have been described for this gene. [provided

by RefSeq, Aug 2011]



# **Product images:**



Circular map for RC226356L3