

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RC226399L2V

CrkRS (CDK12) (NM_015083) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	CrkRS (CDK12) (NM_015083) Human Tagged ORF Clone Lentiviral Particle
Symbol:	CrkRS
Synonyms:	CRK7; CRKR; CRKRS
Mammalian Cell Selection:	None
Vector:	pLenti-C-mGFP (PS100071)
Tag:	mGFP
ACCN:	NM_015083
ORF Size:	4443 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC226399).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 015083.1</u>
RefSeq ORF:	4446 bp
Locus ID:	51755
UniProt ID:	<u>Q9NYV4</u>
Cytogenetics:	17q12
Protein Families:	Druggable Genome, Protein Kinase
MW:	163 kDa



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Gene Summary:Cyclin-dependent kinase that phosphorylates the C-terminal domain (CTD) of the large
subunit of RNA polymerase II (POLR2A), thereby acting as a key regulator of transcription
elongation. Regulates the expression of genes involved in DNA repair and is required for the
maintenance of genomic stability. Preferentially phosphorylates 'Ser-5' in CTD repeats that
are already phosphorylated at 'Ser-7', but can also phosphorylate 'Ser-2'. Required for RNA
splicing, possibly by phosphorylating SRSF1/SF2. Involved in regulation of MAP kinase activity,
possibly leading to affect the response to estrogen inhibitors.[UniProtKB/Swiss-Prot Function]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US