

Product datasheet for RC226480L1V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CACNA1C (NM_199460) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: CACNA1C (NM 199460) Human Tagged ORF Clone Lentiviral Particle

Symbol: CACNA10

Synonyms: CACH2; CACN2; CACNL1A1; CaV1.2; CCHL1A1; LQT8; TS; TS. LQT8

Mammalian Cell

Selection:

None

Vector: pLenti-C-Myc-DDK (PS100064)

Tag:Myc-DDKACCN:NM_199460

ORF Size: 6663 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC226480).

OTI Disclaimer:

Sequence:

r: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 199460.2, NP 955630.2

 RefSeq ORF:
 6666 bp

 Locus ID:
 775

 UniProt ID:
 Q13936

 Cytogenetics:
 12p13.33

Protein Families: Druggable Genome, Ion Channels: Calcium, Transmembrane





CACNA1C (NM_199460) Human Tagged ORF Clone Lentiviral Particle - RC226480L1V

Protein Pathways: Alzheimer's disease, Arrhythmogenic right ventricular cardiomyopathy (ARVC), Calcium

signaling pathway, Cardiac muscle contraction, Dilated cardiomyopathy, GnRH signaling pathway, Hypertrophic cardiomyopathy (HCM), Long-term potentiation, MAPK signaling

pathway, Type II diabetes mellitus, Vascular smooth muscle contraction

MW: 248.8 kDa

Gene Summary: This gene encodes an alpha-1 subunit of a voltage-dependent calcium channel. Calcium

channels mediate the influx of calcium ions into the cell upon membrane polarization. The alpha-1 subunit consists of 24 transmembrane segments and forms the pore through which ions pass into the cell. The calcium channel consists of a complex of alpha-1, alpha-2/delta, beta, and gamma subunits in a 1:1:1:1 ratio. There are multiple isoforms of each of these proteins, either encoded by different genes or the result of alternative splicing of transcripts. The protein encoded by this gene binds to and is inhibited by dihydropyridine. Alternative splicing results in many transcript variants encoding different proteins. Some of the predicted proteins may not produce functional ion channel subunits. [provided by RefSeq, Oct 2012]