

## Product datasheet for RC226563L3V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Mortality Factor 4 like 2 (MORF4L2) (NM 001142419) Human Tagged ORF Clone Lentiviral **Particle**

## **Product data:**

Product Type: Lentiviral Particles

Mortality Factor 4 like 2 (MORF4L2) (NM\_001142419) Human Tagged ORF Clone Lentiviral **Product Name:** 

**Particle** 

Symbol: MORF4L2

MORFL2; MRGX Synonyms:

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Myc-DDK Tag:

ACCN: NM 001142419

**ORF Size:** 864 bp

**ORF Nucleotide** 

**OTI Disclaimer:** 

Cytogenetics:

Sequence:

The ORF insert of this clone is exactly the same as(RC226563).

The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: NM 001142419.1, NP 001135891.1

Xq22.2

RefSeq Size: 1980 bp RefSeq ORF: 867 bp Locus ID: 9643 **UniProt ID: B3KP92** 

**Protein Families: Transcription Factors** 





MW: 32.3 kDa

**Gene Summary:** Component of the NuA4 histone acetyltransferase complex which is involved in

transcriptional activation of select genes principally by acetylation of nucleosomal histone H4 and H2A. This modification may both alter nucleosome - DNA interactions and promote interaction of the modified histones with other proteins which positively regulate transcription. This complex may be required for the activation of transcriptional programs associated with oncogene and proto-oncogene mediated growth induction, tumor suppressor mediated growth arrest and replicative senescence, apoptosis, and DNA repair. The NuA4 complex ATPase and helicase activities seem to be, at least in part, contributed by the association of RUVBL1 and RUVBL2 with EP400. NuA4 may also play a direct role in DNA repair when directly recruited to sites of DNA damage. Also component of the MSIN3A complex which acts to repress transcription by deacetylation of nucleosomal histones. [UniProtKB/Swiss-Prot Function]