

# **Product datasheet for RC226646**

## PGAP2 (NM 001145439) Human Tagged ORF Clone

#### **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** PGAP2 (NM 001145439) Human Tagged ORF Clone

Tag: Myc-DDK Symbol: PGAP2

Synonyms: CWH43-N; FLJ26520; FRAG1; MGC799

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >RC226646 representing NM\_001145439
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

 ${\color{red} \textbf{ACGCGT}} \textbf{ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT}$ 

ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >RC226646 representing NM\_001145439

Red=Cloning site Green=Tags(s)

MVDGTQLRGAQLPALGELSHRRGGAPALRVAFLHRPALGASLLGGLRLLEPLPQLHLPVFLLSPALPPQLRPQCRGEPRVASAHLCLLLRGLHHPRKCFHCVHCLIPRAHAPHLHSLAVDQEAHSKSGGSQVLQLETAAL

HHQLHLLLGAGCLLSAQHVL

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Chromatograms:** https://cdn.origene.com/chromatograms/ja1431 g10.zip




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com ORÏGENE

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM 001145439

ORF Size: 483 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001145439.1</u>, <u>NP 001138911.1</u>

 RefSeq ORF:
 485 bp

 Locus ID:
 27315

 Cytogenetics:
 11p15.4

### PGAP2 (NM\_001145439) Human Tagged ORF Clone - RC226646

**Protein Families:** Druggable Genome, Transmembrane


MW: 17.1 kDa

**Gene Summary:** The protein encoded by this gene plays a role in the maturation of


glycosylphosphatidylinositol (GPI) anchors on GPI-anchored proteins. Mutations in this gene are associated with an autosomal recessive syndrome characterized by hyperphosphatasia

and intellectual disability. [provided by RefSeq, Jul 2017]

### **Product images:**



Circular map for RC226646



Western blot validation of overexpression lysate (Cat# [LY428886]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC226646 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).