

### Product datasheet for RC226665L4

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

#### Glutathione S Transferase kappa 1 (GSTK1) (NM 001143679) Human Tagged Lenti ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

**Product Name:** Glutathione S Transferase kappa 1 (GSTK1) (NM\_001143679) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: Glutathione S Transferase kappa 1

Synonyms: GST; GST13; GST 13-13; GSTK1-1; hGSTK1

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

**ORF Nucleotide** 


The ORF insert of this clone is exactly the same as(RC226665).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_001143679

ORF Size: 846 bp





# Glutathione S Transferase kappa 1 (GSTK1) (NM\_001143679) Human Tagged Lenti ORF Clone – RC226665L4

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001143679.1</u>, <u>NP 001137151.1</u>

 RefSeq ORF:
 849 bp

 Locus ID:
 373156

 UniProt ID:
 Q9Y2Q3

 Cytogenetics:
 7q34

Protein Pathways: Drug metabolism - cytochrome P450, Glutathione metabolism, Metabolism of xenobiotics by

cytochrome P450

**MW:** 31.4 kDa


**Gene Summary:** This gene encodes a member of the kappa class of the glutathione transferase superfamily of

enzymes that function in cellular detoxification. The encoded protein is localized to the peroxisome and catalyzes the conjugation of glutathione to a wide range of hydrophobic substates facilitating the removal of these compounds from cells. Alternative splicing results

in multiple transcript variants.[provided by RefSeq, Jan 2009]



## **Product images:**



Circular map for RC226665L4