

Product datasheet for RC226688L2V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Neurexin 1 (NRXN1) (NM 001135659) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Neurexin 1 (NRXN1) (NM_001135659) Human Tagged ORF Clone Lentiviral Particle

Symbol: Neurexin 1

Synonyms: Hs.22998; PTHSL2; SCZD17

Mammalian Cell

Selection:

None

Vector: pLenti-C-mGFP (PS100071)

Tag: mGFP

ACCN: NM_001135659

ORF Size: 4641 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC226688).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 001135659.1

 RefSeq ORF:
 4644 bp

 Locus ID:
 9378

UniProt ID: Q9ULB1
Cytogenetics: 2p16.3

Protein Families: Druggable Genome, Transmembrane

Protein Pathways: Cell adhesion molecules (CAMs)

MW: 169.91 kDa





Neurexin 1 (NRXN1) (NM_001135659) Human Tagged ORF Clone Lentiviral Particle – RC226688L2V

Gene Summary:

This gene encodes a single-pass type I membrane protein that belongs to the neurexin family. Neurexins are cell-surface receptors that bind neuroligins to form Ca(2+)-dependent neurexin/neuroligin complexes at synapses in the central nervous system. This complex is required for efficient neurotransmission and is involved in the formation of synaptic contacts. Three members of this gene family have been studied in detail and are estimated to generate over 3,000 variants through the use of two alternative promoters (alpha and beta) and extensive alternative splicing in each family member. Recently, a third promoter (gamma) was identified for this gene in the 3' region. Mutations in this gene are associated with Pitt-Hopkins-like syndrome-2 and may contribute to susceptibility to schizophrenia. [provided by RefSeq, Aug 2016]