

Product datasheet for RC226762

LMO2 (NM 001142315) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: LMO2 (NM_001142315) Human Tagged ORF Clone

Tag: Myc-DDK Symbol: LMO2

Synonyms: LMO-2; RBTN2; RBTNL1; RHOM2; TTG2

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >RC226762 representing NM_001142315
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGTCCTCGGCCATCGAAAGGAAGACCCTGGACCCTTCAGAGGAACCAGTGGATGAGGTGCTGCAGATCC CCCCATCCCTGCTGACATGCGGCGCTGCCAGCAGACATTGGGGACCGCTACTTCCTGAAGGCCATCGA CCAGTACTGGCACGAGGACTGCCTGAGCTGCGACCTCTGTGGCTGCCGGCTGGGTGAGGTGGGGCGGCGC CTCTACTACAAACTGGGCCGGAAGCTCTGCCGGAGAGACTATCTCAGGCTTTTTGGGCAAGACGGTCTCT GCGCATCCTGTGACAAGCGGATTCGTGCCTATGAGATGACAATGCGGGTGAAAGACAAAGTGTATCACCT GGAATGTTTCAAGTGCGCCGCCTGTCAGAAGCATTTCTGTGTAGGTGACAGATACCTCCTCATCAACTCT GACATAGTGTGCGAACAGGACATCTACGAGTGGACTAAGATCAATGGGATGATA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC226762 representing NM_001142315

Red=Cloning site Green=Tags(s)

MSSAIERKSLDPSEEPVDEVLQIPPSLLTCGGCQQNIGDRYFLKAIDQYWHEDCLSCDLCGCRLGEVGRRLYYKLGRKLCRRDYLRLFGQDGLCASCDKRIRAYEMTMRVKDKVYHLECFKCAACQKHFCVGDRYLLINS

DIVCEQDIYEWTKINGMI

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mg2975 d01.zip



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM 001142315

ORF Size: 474 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001142315.1</u>, <u>NP 001135787.1</u>

 RefSeq ORF:
 477 bp

 Locus ID:
 4005

 UniProt ID:
 P25791



Cytogenetics: 11p13

Protein Families: Druggable Genome

MW: 18.2 kDa


Gene Summary: LMO2 encodes a cysteine-rich, two LIM-domain protein that is required for yolk sac

erythropoiesis. The LMO2 protein has a central and crucial role in hematopoietic development and is highly conserved. The LMO2 transcription start site is located approximately 25 kb downstream from the 11p13 T-cell translocation cluster (11p13 ttc), where a number T-cell acute lymphoblastic leukemia-specific translocations occur. Alternative


splicing results in multiple transcript variants encoding different isoforms.[provided by

RefSeq, Nov 2008]

Product images:




Circular map for RC226762



Western blot validation of overexpression lysate (Cat# [LY428034]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with [RC226864] using transfection reagent MegaTran 2.0 (Cat# [TT210002]).





Coomassie blue staining of purified LMO2 protein (Cat# [TP326762]). The protein was produced from HEK293T cells transfected with LMO2 cDNA clone (Cat# RC226762) using MegaTran 2.0 (Cat# [TT210002]).