

Product datasheet for **RC226963**

FGFR2 (NM_001144913) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	FGFR2 (NM_001144913) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	FGFR2
Synonyms:	BBDS; BEK; BFR-1; CD332; CEK3; CFD1; ECT1; JWS; K-SAM; KGFR; TK14; TK25
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RC226963 representing NM_001144913
 Red=Cloning site Blue=ORF Green=Tags(s)

CTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC**GGCGC**
GCCC

ATGGTCAGCTGGGGTCGTTTCATCTGCCTGGTCGTGGTACCATGGCAACCTTGTCCCTGGCCCGGCCCT
 CCTTCAGTTTAGTTGAGGATACACATTAGAGCCAGAAGAGCCACCAACCAAATACCAAATCTCTCAACC
 AGAAGTGTACGTGGCTGCGCCAGGGGAGTCGCTAGAGGTGCGCTGCCTGTTGAAAGATGCCGCCGTGATC
 AGTTGGACTAAGGATGGGGTGCCTTGGGGCCCAACAATAGGACAGTGCTTATTGGGGAGTACTTGCAGA
 TAAAGGGCGCCACGCCTAGAGACTCCGGCTCTATGCTTGTACTGCCAGTAGGACTGTAGACAGTAAAC
 TTGGTACTTCATGGTGAATGTCACAGATGCCATCTCATCCGGAGATGATGAGGATGACACCGATGGTGCG
 GAAGATTTTGTGAGTGAACAGTAACAACAAGAGAGCACCATACTGGACCAACACAGAAAAGATGGAAA
 AGCGGCTCCATGCTGTGCTGCGGCCAACACTGTCAAGTTTCGCTGCCAGCCGGGGGAACCCAATGCC
 AACCATGCGGTGGCTGAAAAACGGGAAGGAGTTTAAAGCAGGAGCATCGCATTGGAGGCTACAAGGTACGA
 AACCGACTGGAGCCTCATTATGGAAAGTGTGGTCCCATCTGACAAGGGAAATTAACCTGTGTAGTGG
 AGAATGAATACGGGTCCATCAATCACACGTACCACCTGGATGTTGTGGAGCGATCGCCTCACCGGCCAT
 CCTCAAGCCGGACTGCCGGCAAATGCCTCCACAGTGGTCGGAGGAGACGTAGAGTTTGTCTGCAAGGTT
 TACAGTGATGCCAGCCCCACATCCAGTGGATCAAGCAGTGGAAAAGAACGGCAGTAAATACGGGCCCCG
 ACGGGCTGCCCTACCTCAAGGTTCTCAAGCACTCGGGGATAAATAGTTCCAATGCAGAAGTGTGGCTCT
 GTTCAATGTGACCGAGGCGGATGCTGGGGAATATATGTAAGGTCTCCAATTATATAGGGCAGGCCAAC
 CAGTCTGCCTGGCTCACTGTCTGCCAAAACAGCAAGCGCTGGAAGAGAAAAGGAGATTACAGCTTCCC
 CAGACTACCTGGAGATAGCCATTTACTGCATAGGGGTCTTCTTAATCGCCTGTATGGTGGTAAACAGTCA
 CCTGTGCCGAATGAAGAACAGCAACGAAGAAGCCAGACTTCAGCAGCCAGCCGGCTGTGCACAAGCTGACC
 AAACGTATCCCCCTGCGGAGACAGGTAACAGTTTCGGCTGAGTCCAGCTCCTCCATGAACTCCAACACCC
 CGCTGGTGGAGATAACAACACGCCTCTCTTCAACGGCAGACACCCCATGCTGGCAGGGGTCTCCGAGTA
 TGAACTCCAGAGGACCCAAAATGGGAGTTTCCAAGAGATAAGCTGACACTGGGCAAGCCCTGGGAGAA
 GGTTGCTTTGGGCAAGTGGTCATGGCGGAAGCAGTGGGAATTGACAAAGACAAGCCCAAGGAGCGGTCA
 CCGTGGCCGTGAAGATGTTGAAAGATGATGCCACAGAGAAAGACCTTTCTGATCTGGTGTGACAGATGGA
 GATGATGAAGATGATTGGGAAACACAAGAATATCATAAATCTTCTGGAGCCTGCACACAGGATGGGCCT
 CTCTATGTCATAGTTGAGTATGCCTCTAAAGGCAACCTCCGAGAATACCTCCGAGCCCGGAGGCCACCCG
 GGATGGAGTACTCCTATGACATTAACCGTGTCTCTGAGGAGCAGATGACCTTCAAGGACTTGGTGTGATG
 CACCTACCAGCTGGCCAGAGGCATGGAGTACTTGGCTTCCAAAAATGTATTTCATCGAGATTTAGCAGCC
 AGAAATGTTTTGGTAACAGAAAACAATGTGATGAAAATAGCAGACTTTGGACTCGCCAGAGATATCAACA
 ATATAGACTATTACAAAAGACCACCAATGGGCGGCTTCCAGTCAAGTGGATGGCTCCAGAAGCCCTGTT
 TGATAGAGTATACACTCATCAGAGTGTGTCTGGTCTTCGGGGTGTAAATGTGGGAGATCTTCACTTTA
 GGGGGCTCGCCCTACCCAGGGATTCCCGTGGAGGAACCTTTTAAAGCTGCTGAAGGAAGGACACAGAATGG
 ATAAGCCAGCCAACTGCACCAACGAAGTACATGATGATGAGGGACTGTTGGCATGCAGTGCCTCCCA
 GAGACCAACGTTCAAGCAGTTGGTAGAAGACTTGGATCGAATTCCTCACTCTCACAAACCAATGAGATC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC226963 representing NM_001144913
 Red=Cloning site Green=Tags(s)

MVSWGRFICLVVVTMATLSLARPSFSLVEDTTLEPEEPPTYQISQPEVYVAAPGESLEVRCLLKDAAVI
 SWTKDGVHLGPNRTVLIGEYLQIKGATPRDSGLYACTASRTVDSETWYFMVNVTDAISSGDEDDTDGA
 EDFVSENSNNKRAPYWTNTEKMEKRLHAVPAANTVKFRCPAGGNPMPMTMRWLKNGKEFKQEHRIGGYKVR
 NQHWSLIMESVVP SDKGN YTCV VENEYGSINHTYHL DVVERSPHRPILQAGLPANASTVVG DVEFVCKV
 YSDAQPHIQWIKHVEKNGSKYGPDGLPYLKVLKHS GINSNAEVLALFNVTEADAGEYICKVSNYIQAN
 QSAWLTVLPKQQAPGREKEITASPDYLEIAIYICIGVFLIACMVVTVILCRMKNNTTKKPDFSSQPAVHKL
 KRIPLRRQVTVSAESSSSMNSNTPLVRITRSLSTADT PMLAGVSEYELPEDPKWEFPRDKLTLGKPLGE
 GCGFQVMAEAVGIDKDKPKEAVTVAVKMLKDDATEKDLSDLVSEMEMMKMIGKHKNIINLLGACTQDGP
 LYVIVEYASKGNLREYL RARRPPGMEYSYDINRVPEEQMTFKDLVSCYQLARGMEYLASQKCIHRDLAA
 RNVLVTENVMK IADFLARDINNIDYKKTNGRLPVKWM APEALFDRVYTHQSDVWSFGVLMWEIFTL
 GGSPYPGIPVEELFKLLKEGHRMDK PANCTNEL YMMMRDCWHA VPSQRPTFKQLVEDLDRILTLTTNEI


TRTRPLEQKLI SEEDLAANDILDYKDDDDKV

Restriction Sites:

AscI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



ACCN: NM_001144913

ORF Size: 2307 bp


OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001144913.1</u> , <u>NP_001138385.1</u>
RefSeq ORF:	2310 bp
Locus ID:	2263
UniProt ID:	<u>P21802</u>
Cytogenetics:	10q26.13
Protein Families:	Druggable Genome, Protein Kinase, Secreted Protein, Transmembrane
Protein Pathways:	Endocytosis, MAPK signaling pathway, Pathways in cancer, Prostate cancer, Regulation of actin cytoskeleton
MW:	86.22 kDa
Gene Summary:	<p>The protein encoded by this gene is a member of the fibroblast growth factor receptor family, where amino acid sequence is highly conserved between members and throughout evolution. FGFR family members differ from one another in their ligand affinities and tissue distribution. A full-length representative protein consists of an extracellular region, composed of three immunoglobulin-like domains, a single hydrophobic membrane-spanning segment and a cytoplasmic tyrosine kinase domain. The extracellular portion of the protein interacts with fibroblast growth factors, setting in motion a cascade of downstream signals, ultimately influencing mitogenesis and differentiation. This particular family member is a high-affinity receptor for acidic, basic and/or keratinocyte growth factor, depending on the isoform. Mutations in this gene are associated with Crouzon syndrome, Pfeiffer syndrome, Craniosynostosis, Apert syndrome, Jackson-Weiss syndrome, Beare-Stevenson cutis gyrata syndrome, Saethre-Chotzen syndrome, and syndromic craniosynostosis. Multiple alternatively spliced transcript variants encoding different isoforms have been noted for this gene. [provided by RefSeq, Jan 2009]</p>

Product images:



Circular map for RC226963