

Product datasheet for RC227035

MYL12B (NM 001144946) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: MYL12B (NM_001144946) Human Tagged ORF Clone

Tag: Myc-DDK Symbol: MYL12B

Synonyms: MLC-B; MRLC2

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >RC227035 representing NM_001144946
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC227035 representing NM_001144946

Red=Cloning site Green=Tags(s)

MSSMFAMFDQSQIQEFKEAFNMIDQNRDGFIDKEDLHDMLASLGKNPTDAYLDAMMNEAPGPINFTMFLT MFGEKLNGTDPEDVIRNAFACFDEEATGTIQEDYLRELLTTMGDRFTDEEVDELYREAPIDKKGNFNYIE

FTRILKHGAKDKDD

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/ja1452 f05.zip



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM 001144946

ORF Size: 462 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001144946.1</u>, <u>NP 001138418.1</u>

 RefSeq ORF:
 464 bp

 Locus ID:
 103910

 Cytogenetics:
 18p11.31



Protein Pathways: Focal adhesion, Leukocyte transendothelial migration, Regulation of actin cytoskeleton, Tight

junction


MW: 17.6 kDa

Gene Summary: The activity of nonmuscle myosin II (see MYH9; MIM 160775) is regulated by phosphorylation


of a regulatory light chain, such as MRLC2. This phosphorylation results in higher MgATPase activity and the assembly of myosin II filaments (Iwasaki et al., 2001 [PubMed 11942626]).

[supplied by OMIM, Mar 2008]

Product images:




Circular map for RC227035



Western blot validation of overexpression lysate (Cat# [LY428598]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC227035 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).





Coomassie blue staining of purified MYL12B protein (Cat# [TP327035]). The protein was produced from HEK293T cells transfected with MYL12B cDNA clone (Cat# RC227035) using MegaTran 2.0 (Cat# [TT210002]).