

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RC227065L4V

PDK3 (NM_001142386) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	PDK3 (NM_001142386) Human Tagged ORF Clone Lentiviral Particle
Symbol:	PDK3
Synonyms:	CMTX6; GS1-358P8.4
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
Tag:	mGFP
ACCN:	NM_001142386
ORF Size:	1245 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC227065).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 001142386.1</u>
RefSeq ORF:	1248 bp
Locus ID:	5165
UniProt ID:	<u>Q15120</u>
Cytogenetics:	Xp22.11
Protein Families:	Druggable Genome, Protein Kinase
MW:	47.9 kDa



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

PDK3 (NM_001142386) Human Tagged ORF Clone Lentiviral Particle – RC227065L4V

Gene Summary:The pyruvate dehydrogenase (PDH) complex is a nuclear-encoded mitochondrial
multienzyme complex that catalyzes the overall conversion of pyruvate to acetyl-CoA and
CO(2). It provides the primary link between glycolysis and the tricarboxylic acid (TCA) cycle,
and thus is one of the major enzymes responsible for the regulation of glucose metabolism.
The enzymatic activity of PDH is regulated by a phosphorylation/dephosphorylation cycle,
and phosphorylation results in inactivation of PDH. The protein encoded by this gene is one
of the three pyruvate dehydrogenase kinases that inhibits the PDH complex by
phosphorylation of the E1 alpha subunit. This gene is predominantly expressed in the heart
and skeletal muscles. Alternatively spliced transcript variants encoding different isoforms
have been found for this gene. [provided by RefSeq, Mar 2010]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US