

Product datasheet for RC227245

IL18BP (NM 001145055) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: IL18BP (NM_001145055) Human Tagged ORF Clone

Tag: Myc-DDK
Symbol: IL18BP

Synonyms: FVH; IL18BPa

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Cell Selection: Neomycin

ORF Nucleotide >RC227245 representing NM_001145055
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC227245 representing NM_001145055

Red=Cloning site Green=Tags(s)

MTMRHNWTPDLSPLWVLLLCAHVVTLLVRATPVSQTTTAATASVRSTKDPCPSQPPVFPAAKQCPALEVT

WPEVEVPLSWAEGNLAPHPRSPALQPQQSTAAGLRLSTGPAAAQP

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: Sgfl-Mlul




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

Plasmid Map:



ACCN: NM_001145055

ORF Size: 345 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info



IL18BP (NM_001145055) Human Tagged ORF Clone - RC227245

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001145055.1</u>, <u>NP 001138527.1</u>

 RefSeq ORF:
 348 bp

 Locus ID:
 10068

 UniProt ID:
 095998

 Cytogenetics:
 11q13.4

Protein Families: Druggable Genome, Secreted Protein

MW: 12.22 kDa

Gene Summary: The protein encoded by this gene functions as an inhibitor of the proinflammatory cytokine,

IL18. It binds IL18, prevents the binding of IL18 to its receptor, and thus inhibits IL18-induced IFN-gamma production, resulting in reduced T-helper type 1 immune responses. This protein is constitutively expressed and secreted in mononuclear cells. Elevated level of this protein is

detected in the intestinal tissues of patients with Crohn's disease. Alternatively spliced transcript variants encoding different isoforms have been described for this gene. [provided

by RefSeq, Feb 2011]