

## Product datasheet for RC227307

### POLR1B (NM\_001137604) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	POLR1B (NM_001137604) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	POLR1B
Synonyms:	A135; RPA2; RPA135; Rpo1-2; TCS4
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin
ORF Nucleotide Sequence:	>RC227307 representing NM_001137604 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCCGCGATCGCC

ATGGATCCTGGCAGCCGGTGGCGGAACCTGCCAGCGGGCCTAGCCTAAAGCACTTGACTGACCCCTCTT  
ATGGAATCCCAGCGGGAACAGCAAAGGCAGCGTTGACAGGAGCTGACGCGGGCGCACGTGGAGTCCCTCAA  
CTACGCTGTGCACGAGGGTCTCGGCCTCGCGGTGCAGGCTGATATCAACTGGGCAGTGAATGGAATCTCA  
AAAGGAATCATTAAAGCAGTTTCTTGGCTATGTTCCCATCATGGTAAAATCCAAGCTTTGCAACTACGTA  
ACCTTCCCCACAAGCCCTCATTGAGCACCATGAGGAGGCAGAGGAAATGGGGGGCTATTTTATAATCAA  
TGGCATTGAAAAAGTCATCCGAATGTTGATTATGCCTCGGAGAAAATTTCCCATGCAATGATAAGACCA  
AAATGGAAAACAGAGGGCCTGGTTATACTCAGTATGGAGTTTCAATGCACTGTGTGAGGGAAGAACATT  
CCGCTGTCAATATGAACCTCCACTACTTGGAAAATGGCACTGTTATGTTGAACTTTATTTACCGAAAAGA  
ACTGTTCTTTCTCTTTGGGATTTGCACTTAAGGCACCTGTGACGCTTTTCTGATTATCAGATCTTTTCA  
GAGCTCATCAAAGGAAAAGAGGATGATTCCTTTCCTTAGGAACCTGTTTCTCAGATGTTAAGGATTGTA  
TGAAGAGGGTTGTTTCGACACAAAACAGGTCCTTAACCTAGGTGAATGCTTCAGAGTAAAACCTCAA  
TGTTCCGACTGGTACCCAATGAGCAAGCTGCGGAGTTCCTGTTTAAACAGTGCATCTGTATCCACTTG  
AAATCCAATACTGAAAAGTTTTATATGCTTTGTCTCATGACGCGAAAAGCTCTTTGCTTTAGCCAAAAGGAG  
AGTGCATGGAGGACAATCCTGATAGTTTGGTGAACCAGGAAGTCTCACACCGGGTCAGCTCTTCTTAT  
GTTCTGAAGGAAAACCTGGAAGGTTGGTTAGTGTCTATTAATAAGCTTTTGATAAGAAGGCTCAGAAG  
ACCAGTGTTCATGAACACTGACAATTTGATGAGGATTTTTACAATGGGCATAGACCTTACAAAACCAT  
TTGAATACCTTTTGGTACTGGGAATCTGCGTTCTAAAACAGGCTTGGCCTCTACAAGATTCTGGACT  
TTGTGTGTGGCTGACAAGCTGAACTTCATACGCTACCTCTCCATTTCCGCTGCGTGCACAGAGGGCT  
GATTTTCCAAGATGAGGACCACCACAGTACGAGGCTGCTGCCAGAGTCTGGGGCTTCTTTTGTCCCG  
TGCATACCCAGACGGGGAGCCCTGTGGCCTGATGAACCACCTAACTGCCGTATGTGAGGTTGTACACACA  
GTTTGTGTATACGGCATCTATTCCAGCTTTACTGTGCAACTTGGGGGTCACCTCCATTGATGGAGCTCCC  
CACCGATCATACAGTGAAGTACCCTGTCTGCTGGACGGTGTGATGTTGGCTGGGTGGATAAGGATC



TTGCTCCAGGCATCGCAGATTCTCTTCGTCATTTTAAGGTGTTGAGAGAGAAAAGAATTCCTCCCTGGAT  
 GGAAGTGGTCCTTATACCCATGACAGGAAAACCAAGTCTGTACCCAGGATTGTTCTTTTACCCTCCT  
 TGTAGACTGGTACGGCCTGTGCAGAAGTTCAGCATTGGGCAAAGAAGAGCTAATTGGAAGTATGGAACAGA  
 TCTTATGAATGTCGCTATCTTTGAGGATGAAGTTTTGCTGGAGTTACCACACACCAGGAAGTCTTTCC  
 ACACAGCTGCTGAGTGTGATTGCCAAGTTCATCCCTTCTCTGATCACACCAGAGTCCACGGAAACATG  
 TACCAATGCCAGATGGTAAGCAAAGTATGGGCTTTCCACTTCTCACTTATCAAGACCCGATCGGATAACA  
 AACTGATCGTCTTCAGACTCCTCAGAGTCCCTGGTGGAGACCCTCCATGTATGATTATTATGACATGGA  
 TAACTATCCAATTGGGACCAATGCCATCGTTGCTGTGATTTCTTACACTGGCTATGATATGGAAGATGCC  
 ATGATTGTGAATAAGGCCTCTTGGGAACGAGGCTTTGCCCATGGAAGTGTCTACAAGTCTGAGTTCATAG  
 ACCTCTCTGAAAAAATTAACAAGGAGATAGTAGCCTGGTGTGGCATCAAACCTGGTACCCACGCGT  
 TCTGCAGAAGTTAGATGACGATGGATTGCCGTTTATAGGAGCAAACTGCAGTACGGAGATCCGATTAC  
 AGCTACCTCAACCTCAACACCGGGGAAAGTTTTGTGATGACTATAAGAGTAAAGAAAATTTGTTGTGG  
 ATAACATCAAAGTGTGAGTAAAGACTGGGAGTGGAAAATCAAGTGTGTTGATCACTATGAGAGT  
 GCCTCGGAACCAACTATCGGAGATAAATTTGCCAGTCCGATGGCAGAAAGGCATTTAAGCAGATTG  
 TGGCCGGCTGAGGACATGCCTTTACTGAGAGTGGGATGGTCCAGACATCTGTTCATCCCATGGTT  
 TTCCATCCCGCATGACCATTGGGATGTTAATTGAGAGTATGGCCGGGAAGTCTGCAGCTTTCATGGTCT  
 CTGCCATGATGCTACACCCTTCTCTCAGAGGAGAACTCGGCCTTAGAATACTTTGGTGGAGATGTTA  
 AAGGCTGCTGGCTACAATTTCTATGGCACCAGAGGTTATATAGTGGCATCAGTGGGCTAGAAGTGAAG  
 CAGACATCTTCATAGGAGTGGTTTATTATCAGCGCTTACGCCATATGGTCTCAGACAAAATTTCAAGTAA  
 GACAACTGGAGCCGAGACAGAGTACCAACACGCTATTGGGGGAAGAAATGTCAGGGTGAATCCGT  
 TTTGGGAGATGGAACGGGATGCGCTTTAGCTCATGGTACATCTTTCTCCTCATGACCGCTCTTCA  
 ACTGCTCAGATCGGTGGTAGCCATGTGTGTGAAGTGTGGCAGTTTACTCTCCTCACTGTTGGAGAA  
 GCCACCCCTTCTGGTCTGCCATGCGCAACAGAAAATACAAGTACTCTGTGTAGTCGAGTACATCAAG  
 ATCGATACTGTTCTGTGCTTATGTTTTCGGTATTTGTAGCTGAAGTGGCAGCTATGAACATCAAAG  
 TGAAGTGGATGTTGTT

AGCGGACCGACGCGTACGCGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC  
 TGGATTACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:**

>RC227307 representing NM\_001137604  
 Red=Cloning site Green=Tags(s)


MDPGSRWRNLPSPGSLKHLTDPSYGIPIPREQQKALQELTRAHVESFNAYVHEGLGLAVQADINWAVNGIS  
 KGIKQFLGYVPIMVKSKLCNLRNLPQALIEHHEEAEEMGGYFIINGIEKVIRMLIMPRRNPIAMIRP  
 KWKTRGPGYTQYGVSMHCVREEHSAVNMNLHYLENGTVMLNFIYRKELFFLPLGFALKALVSFSDYQIFQ  
 ELIKGKEDDSFLRNSVSQMLRIVMEEGCSTQKQVLNYLGEFRVKNVDPWYPNEQAAEFLFNQICIH  
 KSNTEKFYMLCLMTRKLFALAKGECMEDNPDSL VNQEVLPQGLFLMFLKEKLEGWLVSIKIAFDKKAQK  
 TSVSMNTDNLMRIFTMGIDLTKPFEYLFATGNLRSKTLGGLLQDSGLCVVADKLNFI RYLSHFRCVHRGA  
 DFKMRTTTRRLLPESWGFLCPVHTPDGEPGLMNHLTAVCEVVTQFVYTASIPALLCNLGVTPIDGAP  
 HRSYSECPVLLDGMVGVWDKDLAPGIADSLRHFVLRKRIPPWMEVVLIPMTGKPSLYPGLFLFTTP  
 CRLVRPVQNLALGKEELIGTMEQIFMNVAIFEDEVFAGVTTHQELFPHSLLSVIANFIPFSDHNQSPRNM  
 YQCQMGKQTMGFPLLTYQDRSDNKL YRLQTPQSPLVRPSMYDYDDMDNYPIGTNAIVAVISYTGDMEDA  
 MIVNKASWERGFAHGSVYKSEFIDLSEKIKQGDSLVFGIKPGDPRVLQKLDLDDGLPFIGAKLQYGD  
 PYY SYLNLNTGESFVYYYKSKENCVDNIKVCSNDTGSQKFKVCITMRVPRNPTIGDKFASRHGQKILSRL  
 WPAEDMPFTESGMVPDILFNPHGFPSRMTIGMLIESMAGKSAALHGLCHDATPFIFSEENSALEYFGEM  
 LKAAGYNYGTERLYSGISGLELEADIFIGVYYQRLRHMVSDKFQVRTTGARDRVTNQPIGGRNVQGGIR  
 FGEMERDALLAHGTSFLLHDLRFNCSDRSVAHVCVKCGSLLSPLLEKPPPSWSAMRNRYNCTLCRSRSDT  
 IDTVSVPYVFRYFVAELAAAMNIKVKLDVV

SGPTRTRRLEQKLI SEEDLAANDILDYKDDDDKV


**Restriction Sites:**

Sgfl-RsrII

**Cloning Scheme:**



**Plasmid Map:**



**ACCN:** NM\_001137604

**ORF Size:** 3237 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<u>NM_001137604.3</u>
<b>RefSeq ORF:</b>	3240 bp
<b>Locus ID:</b>	84172
<b>UniProt ID:</b>	<u>Q9H9Y6</u>
<b>Cytogenetics:</b>	2q14.1
<b>Protein Families:</b>	Transcription Factors
<b>Protein Pathways:</b>	Metabolic pathways, Purine metabolism, Pyrimidine metabolism, RNA polymerase
<b>MW:</b>	121.8 kDa
<b>Gene Summary:</b>	Eukaryotic RNA polymerase I (pol I) is responsible for the transcription of ribosomal RNA (rRNA) genes and production of rRNA, the primary component of ribosomes. Pol I is a multisubunit enzyme composed of 6 to 14 polypeptides, depending on the species. Most of the mass of the pol I complex derives from the 2 largest subunits, Rpa1 and Rpa2 in yeast. POLR1B is homologous to Rpa2 (Seither and Grummt, 1996 [PubMed 8921381]).[supplied by OMIM, Mar 2008]