

Product datasheet for **RC227387**

FGFR2 (NM_001144918) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	FGFR2 (NM_001144918) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	FGFR2
Synonyms:	BBDS; BEK; BFR-1; CD332; CEK3; CFD1; ECT1; JWS; K-SAM; KGFR; TK14; TK25
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RC227387 representing NM_001144918
 Red=Cloning site Blue=ORF Green=Tags(s)

CTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCCGGCGC
 GCC

ATGGTCAGCTGGGGTCGTTTCATCTGCCTGGTCGTGGTACCATGGCAACCTTGTCCCTGGCCCGCCCT
 CCTTCAGTTTAGTTGAGGATACACATTAGAGCCAGAAGGAGCACCATACTGGACCAACACAGAAAAGAT
 GGAAAAGCGGCTCCATGCTGTGCCTGCGGCCAACACTGTCAAGTTTCGCTGCCAGCCGGGGGAACCCA
 ATGCCAACCATGCGGTGGCTGAAAAACGGGAAGGAGTTTAAGCAGGAGCATCGCATTGGAGGCTACAAGG
 TACGAAACCAGCACTGGAGCCTCATTATGGAAAGTGTGGTCCCATCTGACAAGGGAAATTACCTGTGT
 GGTGGAGAATGAATACGGGTCCATCAATCACACGTACCACCTGGATGTTGTGGAGCGATCGCCTCACCGG
 CCCATCCTCAAGCCGGACTGCCGGCAATGCCTCCACAGTGGTCGGAGGAGACGTAGAGTTTGTCTGCA
 AGGTTTACAGTGTGCCAGCCCATCCAGTGGATCAAGCACGTGAAAAGAACGGCAGTAAATACGG
 GCCCGACGGGCTGCCCTACCTCAAGTTCTCAAGGCCCGGTGTTAACACCACGGACAAAGAGATTGAG
 GTTCTCTAATTCGGAATGTAACTTTTGAGGACGCTGGGGAATACGTGCTTGGCGGGTAACTTATTG
 GGATATCCTTTCCTCTGCATGGTTGACAGTCTGCCAGCGCCTGGAAGAGAAAAGGAGATTACAGCTTC
 CCCAGACTACCTGGAGATAGCCATTTACTGCATAGGGGTCTTCTAATCGCCTGTATGGTGGTAACAGTC
 ATCCTGTGCCGAATGAAGAACACGACCAAGAAGCCAGACTTCAGCAGCCAGCCGGCTGTGCAAGCTGA
 CCAAACGTATCCCCCTGCGGAGACAGGTTTCGGCTGAGTCCAGCTCCTCCATGAACCTCAACACCCCGCT
 GGTGAGGATAACAACACGCCTCTCTTCAACGGCAGACACCCCATGCTGGCAGGGGTCTCCGAGTATGAA
 CTTCCAGAGGACCAAAATGGGAGTTTCCAAGAGATAAGCTGACACTGGCAAGCCCTGGGAGAAGGTT
 GCTTTGGCAAGTGGTCATGGCGGAAGCAGTGGGAATTGACAAAGACAAGCCCAAGGAGGGGTACCCGT
 GGCCGTGAAGATGTTGAAGATGATGCCACAGAGAAAGACCTTTCTGATCTGGTGTGAGAGATGGAGATG
 ATGAAGATGATTGGAAAACAAGAATATCATAAATCTTCTTGGAGCCTGCACACAGGATGGGCCTCTCT
 ATGTCATAGTTGAGTATGCCTCTAAAGGCAACCTCCGAGAATACCTCCGAGCCCGAGGCCACCCGGGAT
 GGAGTACTCCTATGACATTAACCGTGTTCCTGAGGAGCAGATGACCTTCAAGGACTTGGTGTGATGCACC
 TACCAGCTGGCCAGAGGCATGGAGTACTGGCTTCCAAAAATGTATTATCGAGATTTAGCAGCCAGAA
 ATGTTTTGGTAACAGAAAACAATGTGATGAAAATAGCAGACTTTGGACTCGCCAGAGATATCAACAATAT
 AGACTATTACAAAAGACCACCAATGGGCGCTTCCAGTCAAGTGGATGGCTCCAGAAGCCCTGTTTGTAT
 AGAGTATACACTCATCAGAGTGTGTCTGGTCTTCGGGTGTTAATGTGGGAGATCTTCACTTTAGGGG
 GCTCGCCCTACCCAGGGATTCCCGTGGAGGAATTTTTAAGCTGCTGAAGGAAGGACACAGAATGGATAA
 GCCAGCCAACTGCACCAACGAAGTGTACATGATGATGAGGGACTGTTGGCATGCAGTGCCCTCCCAGAGA
 CCAACGTTCAAGCAGTTGGTAGAAGACTTGGATCGAATTTCACTCTCACAACCAATGAGGAATACTTGG
 ACCTCAGCCAACCTCTCGAACAGTATTACCTAGTTACCCTGACACAAGAAGTTCTTGTCTTCAGGAGA
 TGATTCTGTTTTTCTCCAGACCCATGCCTTACGAACCATGCCTTCTCAGTATCCACACATAAACGGC
 AGTGTTAAAACA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC227387 representing NM_001144918
Red=Cloning site Green=Tags(s)


MVSWGRFICLVVVTMATLSLARPSFSLVEDTTLEPEGAPYWTNTEKMEKRLHAVPAANTVKFRCPAGGNP
MPTMRWLKNGKEFKQEHRIGGYKVRNQHWLSIMESVVPVSDKGNVTCVENEYGSINHTYHLDVVERSPHR
PILQAGLPANASTVVGGDVEFVCKVYSDAQPHIQWIKHVEKNGSKYGPDLPLYLKVLAAGVNTTDKEIE
VLYIRNVTFEDAGEYTCLAGNSIGISFHSAWLTVLPAPGREKEITASPDYLEIAIYCIGVFLIACMVVTV
ILCRMNTTKKPDFSSQPAVHKLTKRIPLRRQVSAESSMNSNTPLVRITTRLSSATDTPMLAGVSEYE
LPEDPKWEFPRDKLTLGKPLGEGCFQVYMAEAVGIDKDKPEAVTVAVKMLKDDATEKDLSDLVSEM
MKMIGKHKNIINLLGACTQDGPLYVIVEYASKGNLREYLRARRPPGMEYSYDINRVPEEQMTFKDLVST
YQLARGMEYLASQKCIHRDLAARNVLTENNVMKIADFLARDINNIDYKTTNGRLPVKMWAPALFD
RVYTHQSDVWSFGVLMWEIFTLGGSPYPGIPVEELFKLLKEGHRMDK PANCTNEL YMMMRDCWHAVPSQR
PTFKQLVEDLDRILTLTTNEEYLDLSQPLEQYSPSPDTRSSCSDGDSVSPDPMPYEPCLPQYPHING
SVKT

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

AscI-MluI

Cloning Scheme:



* The last codon before the Stop codon of the ORF

ACCN: NM_001144918

ORF Size: 2112 bp


OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001144918.1 , NP_001138390.1
RefSeq ORF:	2115 bp
Locus ID:	2263
UniProt ID:	P21802
Cytogenetics:	10q26.13
Protein Families:	Druggable Genome, Protein Kinase, Secreted Protein, Transmembrane
Protein Pathways:	Endocytosis, MAPK signaling pathway, Pathways in cancer, Prostate cancer, Regulation of actin cytoskeleton
MW:	79.2 kDa
Gene Summary:	<p>The protein encoded by this gene is a member of the fibroblast growth factor receptor family, where amino acid sequence is highly conserved between members and throughout evolution. FGFR family members differ from one another in their ligand affinities and tissue distribution. A full-length representative protein consists of an extracellular region, composed of three immunoglobulin-like domains, a single hydrophobic membrane-spanning segment and a cytoplasmic tyrosine kinase domain. The extracellular portion of the protein interacts with fibroblast growth factors, setting in motion a cascade of downstream signals, ultimately influencing mitogenesis and differentiation. This particular family member is a high-affinity receptor for acidic, basic and/or keratinocyte growth factor, depending on the isoform. Mutations in this gene are associated with Crouzon syndrome, Pfeiffer syndrome, Craniosynostosis, Apert syndrome, Jackson-Weiss syndrome, Beare-Stevenson cutis gyrata syndrome, Saethre-Chotzen syndrome, and syndromic craniosynostosis. Multiple alternatively spliced transcript variants encoding different isoforms have been noted for this gene. [provided by RefSeq, Jan 2009]</p>

Product images:



Circular map for RC227387