

## Product datasheet for **RC227511**

### EXOC7 (NM\_001145298) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	EXOC7 (NM_001145298) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	EXOC7
Synonyms:	2-5-3p; BLOM4; EX070; EXO70; Exo70p; EXOC1; NEDSEBA; YJL085W
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide  
Sequence:

>RC227511 representing NM\_001145298  
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCCGCGATCGCC

ATGATTCCCCACAGGAGGCATCCGCTCGACGGCGGGAGATTGAGGACAAGCTGAAGCAGGAGGAGAGA  
CTCTGTCTTCATCCGAGACAGCCTGGAGAAGAGCGACCAGCTCACTAAGAACATGGTGTCTATCTTATC  
ATCCTTTGAGAGCCGCTTATGAAGCTGGAGAAGTCCATCATCCCTGTGACAAGCAGACGGAGAATCTG  
CAGCGGCTGCAGGAGAATGTTGAGAAGACGCTGTCTGCCTGGACCATGTCATCAGCTACTACCATGTGG  
CCAGTGACACTGAGAAGATCATCAGAGAGGGCCCCACAGGTAGGCTGGAAGAGTACCTGGGAAGCATGGC  
CAAGATTCAGAAGGCAGTGGAGTATTTCCAGGACAACAGCCAGACAGCCGGAAGTCAACAAAGTGAAA  
CTGCTCTTTGAGCGGGGAAGGAGGCCCTGGAGTCCGAATTTCCGAGCCTGATGACGCGGCACAGTAAGG  
TCGTCTCGCCGTGCTCATCTTGGATCTGATCAGTGGTGACGATGATCTGGAGGCCAGGAGGACGTGAC  
CCTGGAGCACCTGCCCGAGAGCGTGTCCAGGATGTCATTCCGATCTCCCGCTGGCTGGTGAATATGGC  
CGCAACCAAGATTCATGAACGTCTACTACCAGATACGCTCCAGCCAGCTGGACCCTCCATCAAAGGAC  
TGAAGGAGCATTTCCATAAGAGCAGTTCTTCTCTGGGGTTCCCTACTCCCTGTATCCCCAACAAAGAG  
GAAAGACACACCTACCAAGAAGCCAGTCAAGCGGCCAGGTACGAGCATGATTTCCGAGTTAAGCACCTG  
TCCGAGGCCTTGAACGACAAGCAGGGCCGCTGGCCGGGAGAGATGACATGCTGGACGTGGAGACCAGT  
CCTACATCCACTGCGTCAGTGCCTTCGTCAAGCTGGCGCAGAGCGAGTACCAGCTGCTGGCCGACATCAT  
CCCCGAGCACCACAGAAGAAGACCTTCGACTCCCTGATACAGGATGCCCTGGATGGGCTGATGCTTGAA  
GGGAGAACATCGTGTCTGCTGCCCGGAAGGCCATTGTGCGACACGACTTCTCCACGGTGTCCACCGTCT  
TCCCCATCCTGCGACACCTCAAGCAGACCAAGCCTGAGTTTGACCAGGTGCTCCAGGGCACGGCTGCCAG  
CACAAAGAACAAGCTGCCTGGCCTCATCACATCCATGGAGACCATCGGTGCCAAAGCGCTGGAGGACTTC  
GCAGACAACATCAAGAATGACCCGGACAAGGAGTACAACATGCCGAAGGACGGCACCGTACACGAGCTCA  
CCAGCAATGCCATCCTCTTCTGACGACGCTTTTGGACTTCCAGGAGACGGCAGGCGCCATGCTGGCCTC  
CCAAGAGACCAGCTCTTCGGCCACCAGTACAGCTCTGAGTTCAGCAAGCGGCTGCTAAGCACCTATATC  
TGTAAGTGCTGGGCAACCTGCAGTTGAACTTGTGAGCAAGTCCAAGGTGTACGAGGACCCAGCTCTGA  
GCGCCATCTTCTGCACAACAATAAATTACATCCTCAAGTCCCTGGAGAAGTCTGAAGTATCCAGCT  
GGTGGCAGTGACACAGAAGACTGCTGAGCGCTCCTACCGGAGCACATTGAGCAGCAGATCCAGACCTAC  
CAGCGCAGCTGGTTAAAGGTGACTGATTACATCGCAGAGAAGAATCTACCTGTGTTCCAGCCGGGAGTCA  
AGCTCCGGGACAAGGAGCGGCAGATTATCAAGGAGCGTTTTAAGGGCTTCAATGATGGCCTCGAAGAACT  
GTGCAAAATCCAGAAGGCTGGGCTATTCCAGACACAGAGCAGAGGGACAGGATTCGCCAGGCCAGAAAG  
ACCATTGTCAAGGAGACCTACGGGGCTTTCTACAGAAGTTTGGCAGCGTGCCCTTACCAAGAACCCGG  
AGAAGTACATCAAGTACGGGGTGGAGCAGGTGGGCGACATGATCGATCGCTTTTCGACACCTCTGCC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >RC227511 representing NM\_001145298  
Red=Cloning site Green=Tags(s)


MIPPQEASARRREIEDKLKQEEETLSFIRDSLEKSDQLTKNMVSISSSFESRLMKLENSIIPVHKQTENL  
 QRLQENVEKTLSCLDHVISYYHVASDTEKIIREGPTGRLEEYLGSMIAIQKAVEYFQDNPSDPELNKVK  
 LLFERGKEALESEFRSLMTRHSHKVVSPVLIDLISGDDLEAQEDVTLEHLPESVLQDVIRISRWLVEYG  
 RNQDFMNVYYQIRSSQLDRSIKGLKEHFHKSSSSSGVYPYSPAIPNKRKDTPTKKPVKRPGEHDFRVKHL  
 SEALNDKHGPLAGRDDMLDVETDAYIHCVSFVLAQSEYQLLADIPEHHQKKTFDLSLIQDALDGLMLE  
 GENIVSAARKAIVRHDFSTVLTVFPILRHLKQTKPEFDQVLQGTAASTKNKLPGLITSMETIGAKALED  
 ADNIKNDPKKEYNMPKDGTVHELTSNAILFLQQLDFQETAGAMLASQETSSSATSYSSEFSKRLLSTYI  
 CKVGLNLQNLKSKSKVYEDPALSAIFLHNNYNYILKSLEKSEL IQLVAVTQKTAERSYREHIEQQIQTY  
 QRSWLKVTDYIAEKNLPVFPQGVKLRDKERQIIKERFKGFNDGLEELCKIQAWAIPDTEQRDRIRQAQK  
 TIVKETYGAFLQKFGSVPFTKNPEKYIKYGVEQVGMIDRLFD TSA

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Chromatograms:** [https://cdn.origene.com/chromatograms/mk8072\\_d12.zip](https://cdn.origene.com/chromatograms/mk8072_d12.zip)

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**



**ACCN:** NM\_001145298

**ORF Size:** 2028 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_001145298.4](#)

**RefSeq ORF:** 2031 bp

**Locus ID:** 23265

**UniProt ID:** [Q9UPT5](#)

**Cytogenetics:** 17q25.1


**Protein Families:** Druggable Genome

**Protein Pathways:** Insulin signaling pathway


**MW:** 77.1 kDa

**Gene Summary:** The protein encoded by this gene is a component of the exocyst complex. The exocyst complex plays a critical role in vesicular trafficking and the secretory pathway by targeting post-Golgi vesicles to the plasma membrane. The encoded protein is required for assembly of the exocyst complex and docking of the complex to the plasma membrane. The encoded protein may also play a role in pre-mRNA splicing through interactions with pre-mRNA-processing factor 19. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene, and a pseudogene of this gene is located on the long arm of chromosome 4. [provided by RefSeq, Nov 2011]

## Product images:



Circular map for RC227511



Western blot validation of overexpression lysate (Cat# [LY428802]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC227511 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).