

Product datasheet for RC227553

DAZAP2 (NM 001136266) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: DAZAP2 (NM_001136266) Human Tagged ORF Clone

Tag:Myc-DDKSymbol:DAZAP2Synonyms:PRTB

Mammalian Cell Neomycin

Selection:

E. coli Selection:

Vector: pCMV6-Entry (PS100001)

ORF Nucleotide >RC227553 representing NM_001136266
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

Kanamycin (25 ug/mL)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGAGATCTGCC

GCCGCGATCGCC

ATGAACAGCAAAGGTCAATATCCAACACAGCCAACCTACCCTGTGCAGCCTCCTGGGAATCCAGTATACC
CTCAGACCTTGCATCTTCCTCAGGCTCCACCCTATACCGATGCTCCACCTGCCTACTCAGAGCTCTATCG
TCCGAGCTTTGTGCACCCAGGGGCTGCCACAGTCCCCACCATGTCAGCCGCATTTCCTGGAGCCTCTCTG
TATCTTCCCATGGCCCAGTCTGTGGCTGTTGGGCCTTTAGGTTCCACAATCCCCATGGCTTATTATCCAG
TCGGTCCCATCTATCCACCTGCCTCCACCTCCTGGATGCCCTCCCAATGCTGCTCAGCTTGCAGTCATGC
AGGGAGCCAACGTCCTCGTAACTCAGCGGAAGGGGAACTTCTTCATGGGTGGTTCAGATGGTGGCTACAC
CATCTGGTGAGGAACCAAGGCCACCTCTGTGCCGGGAAAGACATCACATACCTTCAGCACTTCTCACAAT
GTAACTGCTTTAGTCATATTAACCTGAAGTTGCAGTTTAGACACATGTTGTTGGGGTGTCTTTCTGGTGC
CCAAACTTTCAGGCACTTTTCAAATTTAATAAGGAACCATGTAATGGTAGCAGTACCTCCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

 ${\tt ACAAGGATGACGACGATAAG{\tt GTTTAA}}$

Protein Sequence: >RC227553 representing NM_001136266

Red=Cloning site Green=Tags(s)

MNSKGQYPTQPTYPVQPPGNPVYPQTLHLPQAPPYTDAPPAYSELYRPSFVHPGAATVPTMSAAFPGASL YLPMAQSVAVGPLGSTIPMAYYPVGPIYPPASTSWMPSQCCSACSHAGSQRPRNSAEGELLHGWFRWWLH HLVRNQGHLCAGKDITYLQHFSQCNCFSHINLKLQFRHMLLGCLSGAQTFRHFSNLIRNHVMVAVPP

TRTRPLEQKLISEEDLAANDILDYKDDDDKV



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com


DAZAP2 (NM_001136266) Human Tagged ORF Clone - RC227553


Chromatograms: https://cdn.origene.com/chromatograms/mk8038 b03.zip

Restriction Sites:

Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001136266

ORF Size: 621 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: NM 001136266.2

RefSeq ORF: 624 bp



Locus ID: 9802

UniProt ID: Q15038


Cytogenetics: 12q13.13 **MW:** 22.6 kDa

Gene Summary: This gene encodes a proline-rich protein which interacts with the deleted in azoospermia

(DAZ) and the deleted in azoospermia-like gene through the DAZ-like repeats. This protein also interacts with the transforming growth factor-beta signaling molecule SARA (Smad anchor for receptor activation), eukaryotic initiation factor 4G, and an E3 ubiquitinase that regulates its stability in splicing factor containing nuclear speckles. The encoded protein may function in various biological and pathological processes including spermatogenesis, cell signaling and transcription regulation, formation of stress granules during translation arrest, RNA splicing, and pathogenesis of multiple myeloma. Multiple transcript variants encoding

different isoforms have been found for this gene. [provided by RefSeq, Oct 2008]

Product images:



Circular map for RC227553