

# Product datasheet for RC227562

# DAZAP2 (NM\_001136267) Human Tagged ORF Clone

## **Product data:**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn


Product Type:	Expression Plasmids
Product Name:	DAZAP2 (NM_001136267) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	DAZAP2
Synonyms:	PRTB
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin
ORF Nucleotide Sequence:	<pre>&gt;RC227562 representing NM_001136267 Red=Cloning site Blue=ORF Green=Tags(s)</pre>
	TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCC <mark>GCGATCGC</mark> C
	ATGAACAGCAAAGGTCAATATCCAACACAGCCAACCTACCCTGTGCAGCCTCCTGGGAATCCAGTATACC CTCAGACCTTGCATCTTCCTCAGGCTCCACCCTATACCGATGCTCCACCTGCCTACTCAGAGTCTGTGGC TGTTGGGCCTTTAGGTTCCACAATCCCCATGGCTTATTATCCAGTCGGTCCCATCTATCCACCTGGCTCC ACAGTGCTGGTGGAAGGAGGGTATGATGCAGGTGCCAGATTTGGAGCTGGGGCTACTGCTGGCAACATTC CTCCTCCACCTCCTGGATGCCCTCCAATGCTGCTCAGCTTGCAGTCATGCAGGGAGCCAACGTCCTCGT AACTCAGCGGAAGGGGAACTTCTTCATGGGTGGTTCAGATGGTGGCTACACCATCTGG
	ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT ACAAGGATGACGACGATAAG <b>GTTTAA</b>
Protein Sequence:	>RC227562 representing NM_001136267 Red=Cloning site Green=Tags(s)
	MNSKGQYPTQPTYPVQPPGNPVYPQTLHLPQAPPYTDAPPAYSESVAVGPLGSTIPMAYYPVGPIYPPGS TVLVEGGYDAGARFGAGATAGNIPPPPPGCPPNAAQLAVMQGANVLVTQRKGNFFMGGSDGGYTIW
	TRTRPLEQKLISEEDLAANDILDYKDDDDKV
Restriction Sites:	Sgfl-Mlul



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US




#### **Cloning Scheme:**



#### **Plasmid Map:**

**ORF Size:** 

**OTI Disclaimer:** 



### ACCN: NM\_001136267

408 bp

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

DAZAP2 (NM_001136267) Human Tagged ORF Clone – RC227562	
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Metho	<ul> <li>d: 1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ul>
RefSeq:	<u>NM 001136267.2</u>
RefSeq ORF:	411 bp
Locus ID:	9802
UniProt ID:	<u>Q15038</u>
Cytogenetics:	12q13.13
MW:	13.8 kDa
Gene Summary:	This gene encodes a proline-rich protein which interacts with the deleted in azoospermia (DAZ) and the deleted in azoospermia-like gene through the DAZ-like repeats. This protein also interacts with the transforming growth factor-beta signaling molecule SARA (Smad anchor for receptor activation), eukaryotic initiation factor 4G, and an E3 ubiquitinase that regulates its stability in splicing factor containing nuclear speckles. The encoded protein may function in various biological and pathological processes including spermatogenesis, cell signaling and transcription regulation, formation of stress granules during translation arrest, RNA splicing, and pathogenesis of multiple myeloma. Multiple transcript variants encoding

different isoforms have been found for this gene. [provided by RefSeq, Oct 2008]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US