

Product datasheet for **RC227577**

MS4A2 (NM_001142303) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: MS4A2 (NM_001142303) Human Tagged ORF Clone
Tag: Myc-DDK
Symbol: MS4A2
Synonyms: APY; ATOPY; FCER1B; FCERI; IGEL; IGER; IGHF; MS4A1
Mammalian Cell Selection: Neomycin
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
ORF Nucleotide Sequence: >RC227577 representing NM_001142303
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAACTACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGATCGCC**

ATGGACACAGAAAGTAATAGGAGAGCAATCTTGCTCTCCACAGGAGCCTTCCAGTGTGCCTGCATTTG
 AAGTCTTGAAATATCTCCCGAGGAAGTATCTTCAGGCAGACTATTGAAGTCGGCCTCATCCCCACCACT
 GCATACATGGCTGACAGTTTGAAGAAAGAGCAGGAGTTCCTGGGGGTAAACAAATTCTGACTGCTATG
 ATATGCCTTTGTTTGAACAGTTGTCTGCTCTGTAATTTTACACATTGAGGGAGACATTTTTT
 CATCATTTAAAGCAGTTATCCATTCTGGGAGCCATATTTTTTCTATTCTGGAATGTTGTCAATTAT
 ATCTGAAAGGAGAAATGCAACATATCTGGTGAGAGGAAGCCTGGGAGCAAACTGCCAGCAGCATAGCT
 GGGGGAACGGGAATTACCATCCTGATCATCAACCTGAAGAAGAGCTTGGCCTATATCCACATCCACAGT
 GCCAGAAATTTTTGAGACCAAGTGCTTTATGGCTTCCTTTCCACTGTATGATTTTTTTTTGTGTGGG
 AAGACTAAGATTCTGGTCCTAATG

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC227577 representing NM_001142303
 Red=Cloning site Green=Tags(s)

MDTESNRRANLALPQEPSSVPAFEVLEISPVQEVSSGRLLKSASSPPLHTWLTVLKKEQEFGLVGTQILTAM
 ICLCFGTVVCSVLDISHIEGDISSFKAGYFWGAIFFSISGMLSIISERRNATYLVGSLGANTASSIA
 GGTGITILIINLKKSLAYIHIHSCQKFETKCFMASFSTVCIFFCVGRLEFWVLM

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


[View online »](#)

Chromatograms: https://cdn.origene.com/chromatograms/ja1458_e03.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_001142303

ORF Size: 585 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.


Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.

RefSeq: [NM_001142303.1](#), [NP_001135775.1](#)

RefSeq ORF: 587 bp

Locus ID:	2206
Cytogenetics:	11q12.1
Protein Families:	Druggable Genome, Transmembrane
Protein Pathways:	Asthma, Fc epsilon RI signaling pathway
MW:	21.3 kDa
Gene Summary:	<p>The allergic response involves the binding of allergen to receptor-bound IgE followed by cell activation and the release of mediators responsible for the manifestations of allergy. The IgE-receptor, a tetramer composed of an alpha, beta, and 2 disulfide-linked gamma chains, is found on the surface of mast cells and basophils. This gene encodes the beta subunit of the high affinity IgE receptor which is a member of the membrane-spanning 4A gene family. Members of this nascent protein family are characterized by common structural features and similar intron/exon splice boundaries and display unique expression patterns among hematopoietic cells and nonlymphoid tissues. This family member is localized to 11q12, among a cluster of membrane-spanning 4A gene family members. Alternative splicing results in multiple transcript variants encoding distinct proteins. Additional transcript variants have been described but require experimental validation. [provided by RefSeq, Mar 2012]</p>

Product images:



Circular map for RC227577