

Product datasheet for RC227584

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

COX4NB (EMC8) (NM_001142288) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: COX4NB (EMC8) (NM 001142288) Human Tagged ORF Clone

Tag: Myc-DDK
Symbol: COX4NB

Synonyms: C16orf2; C16orf4; COX4NB; FAM158B; NOC4

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >RC227584 representing NM_001142288
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGCCCGGGGTGAAACTGACCACCCAGGCCTACTGCAAGATGGTGCTGCACGGCGCCAAGTACCCGCACT GCGCCGTCAACGGGGTCCTGGTGGCCGAGAAGCAGAAGCCGCGTAAGGAGCACCTCCCCCTGGGCGGCCC CGGCGCCCACACCCCTCTTCGTGGACTGCATCCCCCTCTTCCACGGCACCCTCGCCCCCCATG CTGGAGGTGGCTCTCACCCTGATTGATTCATGGTGCAAAGATCATAGCTACGTGATTGCTGGTTATTATC AAGCTAATGAGCGAGTAAAGGATGCCAGTCCAAACCAGGTTGCAGAGAAGGTGGCCTCCAGAATCGCCGA

GGGCTTCAGCGACACTGCGCTCATCATG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC227584 representing NM_001142288

Red=Cloning site Green=Tags(s)

MPGVKLTTQAYCKMVLHGAKYPHCAVNGLLVAEKQKPRKEHLPLGGPGAHHTLFVDCIPLFHGTLALAPM

LEVALTLIDSWCKDHSYVIAGYYQANERVKDASPNQVAEKVASRIAEGFSDTALIM

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Restriction Sites: Sgfl-Mlul





Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001142288

ORF Size: 378 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: <u>NM 001142288.2</u>

RefSeq ORF: 381 bp



 Locus ID:
 10328

 UniProt ID:
 043402

 Cytogenetics:
 16q24.1

 MW:
 13.5 kDa

Gene Summary: Part of the endoplasmic reticulum membrane protein complex (EMC) that enables the

energy-independent insertion into endoplasmic reticulum membranes of newly synthesized

membrane proteins (PubMed:30415835, PubMed:29809151, PubMed:29242231, PubMed:32459176, PubMed:32439656). Preferentially accommodates proteins with


transmembrane domains that are weakly hydrophobic or contain destabilizing features such

as charged and aromatic residues (PubMed:30415835, PubMed:29809151,

PubMed:29242231). Involved in the cotranslational insertion of multi-pass membrane proteins in which stop-transfer membrane-anchor sequences become ER membrane spanning helices (PubMed:30415835, PubMed:29809151). It is also required for the post-translational insertion of tail-anchored/TA proteins in endoplasmic reticulum membranes (PubMed:29809151, PubMed:29242231). By mediating the proper cotranslational insertion of N-terminal transmembrane domains in an N-exo topology, with translocated N-terminus in the lumen of the ER, controls the topology of multi-pass membrane proteins like the G protein-coupled receptors (PubMed:30415835). By regulating the insertion of various proteins in membranes, it is indirectly involved in many cellular processes (Probable).

[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for RC227584