

### Product datasheet for RC227627L4

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Epoxide hydrolase (EPHX1) (NM\_001136018) Human Tagged Lenti ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

**Product Name:** Epoxide hydrolase (EPHX1) (NM\_001136018) Human Tagged Lenti ORF Clone

Tag: mGFP

**Symbol:** Epoxide hydrolase

Synonyms: EPHX; EPOX; HYL1; MEH

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)


ORF Nucleotide The ORF insert of this clone is exactly the same as(RC227627).

Sgfl-Mlul

Sequence:

Restriction Sites: Cloning Scheme:





<sup>\*</sup> The last codon before the Stop codon of the ORF

ACCN: NM\_001136018

ORF Size: 1365 bp





#### Epoxide hydrolase (EPHX1) (NM\_001136018) Human Tagged Lenti ORF Clone - RC227627L4

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 001136018.2</u>

 RefSeq Size:
 1699 bp

 RefSeq ORF:
 1368 bp

 Locus ID:
 2052

 UniProt ID:
 P07099

Cytogenetics: 1q42.12

**Protein Families:** Druggable Genome, Protease

**Protein Pathways:** Metabolism of xenobiotics by cytochrome P450

**MW:** 52.9 kDa

**Gene Summary:** Epoxide hydrolase is a critical biotransformation enzyme that converts epoxides from the

degradation of aromatic compounds to trans-dihydrodiols which can be conjugated and excreted from the body. Epoxide hydrolase functions in both the activation and detoxification of epoxides. Mutations in this gene cause preeclampsia, epoxide hydrolase deficiency or increased epoxide hydrolase activity. Alternatively spliced transcript variants encoding the

same protein have been found for this gene.[provided by RefSeq, Dec 2008]



# **Product images:**



Circular map for RC227627L4