

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RC227720L4V


SIRT1 (NM_001142498) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	SIRT1 (NM_001142498) Human Tagged ORF Clone Lentiviral Particle
Symbol:	SIRT1
Synonyms:	SIR2; SIR2alpha; SIR2L1
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
Tag:	mGFP
ACCN:	NM_001142498
ORF Size:	1356 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC227720).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 001142498.1, NP 001135970.1</u>
RefSeq ORF:	1359 bp
Locus ID:	23411
UniProt ID:	<u>Q96EB6</u>
Cytogenetics:	10q21.3
Protein Families:	Druggable Genome, Stem cell - Pluripotency, Transcription Factors
MW:	50.3 kDa



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Gene Summary:This gene encodes a member of the sirtuin family of proteins, homologs to the yeast Sir2
protein. Members of the sirtuin family are characterized by a sirtuin core domain and
grouped into four classes. The functions of human sirtuins have not yet been determined;
however, yeast sirtuin proteins are known to regulate epigenetic gene silencing and suppress
recombination of rDNA. Studies suggest that the human sirtuins may function as intracellular
regulatory proteins with mono-ADP-ribosyltransferase activity. The protein encoded by this
gene is included in class I of the sirtuin family. Alternative splicing results in multiple
transcript variants. [provided by RefSeq, Dec 2008]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US