

## Product datasheet for **RC227869**

### **P311 (NREP) (NM\_001142482) Human Tagged ORF Clone**

#### Product data:

Product Type: Expression Plasmids

Product Name: P311 (NREP) (NM\_001142482) Human Tagged ORF Clone

Tag: Myc-DDK

Symbol: P311

Synonyms: C5orf13; D4S114; P311; PRO1873; PTZ17; SEZ17

Mammalian Cell Selection: Neomycin

Vector: pCMV6-Entry (PS100001)

E. coli Selection: Kanamycin (25 ug/mL)

ORF Nucleotide Sequence: >RC227869 ORF sequence  
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGGTTTATTACCCAGAACTCTTTGTCTGGTCAAGAACCATTTCCAAACAAGGACATGGAGGGAA  
GGCTTCC**TAAGGAAGACTTCTGTCCCAAGGAAGTGAACCGCAAGAAGACGATGAGACAAACGCTGC**  
CTCCCTGACTCCACTGGGCAGCAGTGA**ACTCCGCTCCCAAGAATCAGTTACCTCACTTTTT**

**ACGCGT**ACGCGGCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC227869 protein sequence  
Red=Cloning site Green=Tags(s)

MVYYPELFWVVSQEPFPNKDMEGR LPKGR L PVPKEVNRKKNDETNAASL TPLGSSELRSPRISYLHFF

**TRTRPLEQKLI**SEEDLAANDILDYKDDDDKV

Chromatograms: [https://cdn.origene.com/chromatograms/mk6003\\_c03.zip](https://cdn.origene.com/chromatograms/mk6003_c03.zip)

Restriction Sites: Sgfl-MluI



[View online »](#)

Cloning Scheme:



ACCN: NM\_001142482

ORF Size: 204 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

- Reconstitution Method:
1. Centrifuge at 5,000xg for 5min.
  2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
  3. Close the tube and incubate for 10 minutes at room temperature.
  4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
  5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM\\_001142482.1](#), [NP\\_001135954.1](#)


RefSeq Size: 2015 bp

RefSeq ORF: 207 bp

Locus ID: 9315  
 UniProt ID: [Q16612](#)  
 Cytogenetics: 5q22.1  
 MW: 7.9 kDa

**Gene Summary:** May have roles in neural function. Ectopic expression augments motility of gliomas. Promotes also axonal regeneration (By similarity). May also have functions in cellular differentiation (By similarity). Induces differentiation of fibroblast into myofibroblast and myofibroblast ameboid migration. Increases retinoic-acid regulation of lipid-droplet biogenesis (By similarity). Down-regulates the expression of TGFB1 and TGFB2 but not of TGFB3 (By similarity). May play a role in the regulation of alveolar generation.[UniProtKB/Swiss-Prot Function]

**Product images:**



Circular map for RC227869