

Product datasheet for **RC227875**

DC SIGN (CD209) (NM_001144894) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	DC SIGN (CD209) (NM_001144894) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	DC SIGN
Synonyms:	CDSIGN; CLEC4L; DC-SIGN; DC-SIGN1; hDC-SIGN
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RC227875 ORF sequence, **codon optimized**.
 Due to the complexity of NM_001144894, the ORF clone is codon optimized for mammalian Expression.
 The nucleotide sequence differs from the reference sequence, yet the amino acid sequence remains identical.

Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGATCGCC**

ATGTCGCAGACGAAGGAGCCAGACTGCAGCAGCTGGGTCTGCTGGTGTCAAAGTCCCATCCTCCATAA
 GTCAGGAACAGAGCCGGCAAGACGCTATTTATCAGAATCTGACCCAGCTGAAGGCCGAGTGGGCGAACT
 TTCGAAAAGAGCAAGCTCCAAGAAATTTATCAGGAGCTTACTCAGCTCAAAGCAGCCGTCGGGAGCTT
 CCAGAAAAGAGTAACTTCAGGAGATCTATCAGGAGCTACCAGGCTGAAAGCCCGCTGGGAGAAGTGC
 CAGAAAAAGTAACTTCAAGAGATCTATCAAGAACTTACATGGCTTAAGGCAGCTGTGGAGAGCTGCC
 AGAGAAGTCAAAGATGCAGGAGATATACAGGAGTTGACAAGGCTGAAGGCAGCCGTGGGCGAGCTCCCC
 GAGAAGTCAAGCAGCAGGAAATCTATCAGGAGCTGACTAGACTGAAAGCCGCGGTGGGCGAACTTCCCG
 AGAAGAGTAAACAGCAGGAAATTTACCAAGAAGTACACGCGCTGAAAGCAGCGGTGCGGTGAGCTCCCTGA
 GAAATCTAAACAACAAGAAATATACCAGGAACTCACTCAGCTGAAAGCCGCTGTGGAACGGCTGTGCCAT
 CCATGCCCGTGGGAATGGACATCTTCCAGGAAATGTTACTTCATGAGCAACTCTCAACGAACTGGC
 ATGATTCTATCACCGCTTGCAAAGAGGTTGGGGCCAGCTGGTGGTAATAAAGTCCGCCAGGAACAGAA
 TTTCTGCAGCTGCAGTCTCCAGATCTAACCGTTTCACTTGATGGGGCTGAGCGACTTGAATCAGGAG
 GGGACTTGGCAGTGGGTGGACGGCAGCCCTGCTGCCCTCCTTTAAACAATACTGGAACAGAGGGGAAC
 CTAACAATGTGGGAGAAGAAGATTGCGCCGAGTTCAGTGGAACGGTTGGAACGACGACAATGCAACCT
 GGCGAAGTTTTGGATCTGCAAGAAGAGTGCCGCAAGTTGCTCCCGCAGCAAGAGCAATTCCTCAGTCTC
 GCTCCAGCCACACCAACCCTCCCCCTGCA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>RC227875 representing NM_001144894
 Red=Cloning site Green=Tags(s)

MDSKPEPRLQQLGLLVSKVPSSISQEQSRQDAIYQNLQTLKAAVGELSEKSKLQEIYQELTQLKAAVGEL
 PEKSKLQEIYQELTRLKAAVGELPEKSKLQEIYQELTWLKAAVGELPEKSKMQEIYQELTRLKAAVGELP
 EKSKQEIYQELTRLKAAVGELPEKSKQEIYQELTRLKAAVGELPEKSKQEIYQELTQLKAAVERLCH
 PCPWEWTFQGNCFMNSQRNWHDSITACKEVGAQLVVIKSAEEQNFLQLQSSRSNRFTWMGLSDLNQE
 GTWQWVDGSPLLPSFKQYWNRGEPNNVGEEDCAEFSGNGWDDKCNLAKFWICKSAASCSRDEEQFLSP
 APATPNPPPA


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

Sgfl-MluI

Cloning Scheme:

Cloning sites used for ORF Shutting:



* The last codon before the Stop codon of the ORF

ACCN: NM_001144894

ORF Size: 1080 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)
OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001144894.1](#), [NP_001138366.1](#)
RefSeq Size: 4196 bp

RefSeq ORF: 1083 bp

Locus ID: 30835

UniProt ID: [Q9NNX6](#)


Cytogenetics: 19p13.2

Protein Families: Druggable Genome

MW: 41 kDa

Gene Summary: This gene encodes a C-type lectin that functions in cell adhesion and pathogen recognition. This receptor recognizes a wide range of evolutionarily divergent pathogens with a large impact on public health, including leprosy and tuberculosis mycobacteria, the Ebola, hepatitis C, HIV-1 and Dengue viruses, and the SARS-CoV acute respiratory syndrome coronavirus. The protein is organized into four distinct domains: a C-terminal carbohydrate recognition domain, a flexible tandem-repeat neck domain, a transmembrane region and an N-terminal cytoplasmic domain involved in internalization. This gene is closely related in terms of both sequence and function to a neighboring gene, CLEC4M (Gene ID: 10332), also known as L-SIGN. The two genes differ in viral recognition and expression patterns, with this gene showing high expression on the surface of dendritic cells. Polymorphisms in the neck region are associated with protection from HIV-1 infection, while single nucleotide polymorphisms in the promoter of this gene are associated with differing resistance and susceptibility to and severity of infectious disease, including rs4804803, which is associated with SARS severity. [provided by RefSeq, May 2020]

Product images:



Circular map for RC227875